

# **Production and Marketing of Betel**

**H.M.J.K. Herath**

Research Report No: 189

December 2015

**Hector Kobbekaduwa Agrarian Research and Training Institute  
114, Wijerama Mawatha  
Colombo 7  
Sri Lanka**

**First Published: December 2015**

**© 2015, Hector Kobbekaduwa Agrarian Research and Training Institute**

**Final Typesetting and Lay-out by: Dilanthi Hewavitharana**

**ISBN: 978-955-612-198-8**

## **FOREWORD**

Betel cultivation in Sri Lanka dates back to 340 B.C and betel holds a special cultural value in the Sri Lankan society. Betel is traditionally grown in home gardens and used for domestic needs. At present it is also cultivated as a commercial crop, mainly in Gampaha and Kurunegala districts. Sri Lanka produces good quality betel and it supplies for both domestic and foreign markets. Pakistan is known as the major importer of betel of Sri Lanka.

However, betel growers have to face many difficulties both at production and marketing levels. Pest and disease attacks, high cost of production, unavailability of a proper market channel lead to less profit from betel farming and ultimately it results in less production of betel. The situation requires a proper analysis on betel production and marketing to identify the potentials and gaps in betel cultivation. Thus undertaking this form of research project which addresses the real issues faced by betel growers in Sri Lanka is appreciated. The report draws the attention of the relevant officers towards betel cultivation in Sri Lanka and helps elevate domestic farmers to the commercial level by proposing possible solutions to their issues in cultivation.

Finally, it is believed that the living standards of betel growers in Sri Lanka would be upgraded and the marketing channel for betel production in the country would expand.

**Haputhanthri Dharmasena**  
**Director**

## **ACKNOWLEDGEMENT**

We, first of all, must thank Director, Mr. Haputhanthri Dharmasena, Former Director, Mr. E.M. Abhayaratne and Deputy Director (Research) Mr. J.K.M.D. Chandrasiri of the Hector Kobbekaduwa Agrarian Research and Training Institute (HARTI) for giving us this opportunity and providing financial and other resources to encourage us towards completing this study successfully.

Mrs. H.A.S.K. Sriyani, Training Officer, Mr. L.M.J.K. Lindara, Deputy Director, Chithra Malani, Research Development Assistant, Naranmala Betel Research Center, Department of Export Agriculture (DEA) are also gratefully remembered for their cooperation.

Mr. S.M.A. Samarakoon, Senior Research Officer, Head of Human Resource and Institutional Development Division helped us throughout the study. Ms. Pradeepa Dembatapitiya, Statistical Assistant supported in the data analysis. Mr. E.U.A. Shantha, Statistical Officer, HARTI, Ms. M.B.A.H. Fernando and Ms. G.V. Dinesha Kumari, Casual Investigators of the project, worked hard during the field survey and data processing. Ms. C. Ramyalatha and Mrs. Dilanthi Hewavitharana of HARTI did typesetting and page setting of the report. Ms. Suharshi Perera, Editor of the institute did editing and Mr. S.A.C.U. Senanayake did proof reading of the final report. The Publication Unit of HARTI made arrangements for designing the cover page and printing of the report. We express our sincere gratitude to all of them.

The success of the entire study was owing to the information provided by the betel farmers in the study areas and Agriculture Research and Production Assistants (ARPA) in the study area. We specially thank Mr.K.K.E.A.K.S Ehalawela, ARPA at the Deegalla Agrarian Service Centre for his support. The research team is extremely grateful to them and the officials of Agrarian Service Centers for sharing their experiences and spending their valuable time in this study.

**H M J K Herath**

## EXECUTIVE SUMMARY

Betel (*Pipper betel*) plays a major role in the Sri Lankan export market which contributes around Rs. 400-500 million annually. It has become one of the main income sources for many farmers in Kurunegala and Gampaha administrative districts of Sri Lanka. Since 1974, betel has gained a significant position in the export market while establishing a widely spread domestic market. Betel for export market is mainly grown in Kurunegala district (65% of total betel production) and 22% of in Gampaha district. According to the statistical data, the main income source of around 25,000 to 40,000 families in Kurunegala, Gampaha and Kegalle districts is betel farming. Although the volume and corresponding value of exports from 1974 to 2005 have shown a fluctuation, it has brought in a substantial amount of foreign exchange to Sri Lanka. Although there is no accurate data on the extent of betel cultivation, evidence from various reports suggests that around 4000 - 5000 hectares of land are being used for betel cultivation. Pakistan is the major export market for Sri Lankan betel. Although betel is grown in Pakistan, consumers prefer Sri Lankan betel due to its superior quality.

The main objective of this research was to identify constraints in betel productions for export marketing and to explore its developmental possibilities. The findings of the study indicate that, the average cost of cultivation of 1000 cuttings or sticks was estimated to be at Rs.167,217.00. Gampaha district is the highest in terms of cost of production (Rs.190,530) and Kurunegala district is the lowest (Rs.143,904). Cost of construction of betel field takes the highest share of production cost (25.42%) followed by land preparation and transplanting (19.64%), irrigation (19.17%), fertilizer application (17.05%), pesticides (5.46%), harvesting and crop maintenance (5.34%), packing, marketing and transport (4.66%), and weeding/inter-culturing (3.28%). The total variable production cost was estimated at Rs.167,217.00. Thus, this crop is a highly capital intensive crop. The overall analysis of costs incurred in the cultivation of betel suggests a relationship between cost and the family size, for example, cost of cultivation increases with decrease of family size.

The analysis of cost of production of betel per 1000 sticks reveals that on average, the cost of production per 10,000 leaves was estimated at Rs.7,761 which varied from Rs.8,309 to Rs.5,165 across the sample districts of Kurunegala and Gampaha. The calculated data of gross income and net returns indicate that at overall level, gross income per 1000 sticks was estimated at Rs.259,432 and net income to be at Rs.92,215. The study identified three export channels; channel one is a wholesale exporter whose share is 73.46% offers a low price compared to the other but the money is paid to farmers in time. The constraints identified in this study were categorized under two sections: growers reported that disease severity was the main constraint, in terms of economic constraints, inadequate marketing facility ranked first drawing 78 per cent of the 76 growers' concern.

- 1 Majority of the farmers (81.3%) recommended the establishment of Dedicated Economic Centres (DECs) for betel export market (In 2004 a similar initiative was established in Apeladeniya in Kurunegala district). As shown by the construction cost of betel field constituting a significant portion of the total expenditure on production, it is necessary to develop a more economically viable method for its production (low cost technique for its construction, particularly for betel stick. Commission agents who are employed under private organisations are in control of the entire marketing system devoid of organised marketing and government machinery. Therefore, the government systems could be useful in addressing the malpractices in the current marketing system which is controlled by private traders. As a solution Sri Lankan and Pakistan governments need to introduce an e-tendering system for betel farmers (Betel Produce Marketing Committee- BPMC)).

## LIST OF CONTENTS

	<b>Page No.</b>
FOREWORD	i
ACKNOWLEDGEMENTS	ii
EXECUTIVE SUMMARY	iii
CONTENTS	v
LIST OF TABLES	viii
LIST OF FIGURES	ix
ABBREVIATIONS	x
<b>CHAPTER ONE</b>	
<b>Introduction</b>	<b>1</b>
1.1 Background	1
1.2 Problem of Study	1
1.3 Research Objectives	5
1.4 Limitations	5
1.5 Methodology	6
1.5.1 Selection of Growers	6
1.5.2 Selection of Market Functionaries (Traders)	6
1.6 Method of Data Collection	7
1.6.1 Calculation of Costs	7
1.6.2 Method of Data Analysis	7
<b>CHAPTER TWO</b>	
<b>Review of Literature</b>	<b>9</b>
2.1 Introduction	9
2.2 Production and Marketing of Betel	9
2.3 Betel Sticks per Acre	10
2.4 Export Quality of Betel Leaves Grading	11
2.5 The Review of India in Betel Production and Marketing	11
<b>CHAPTER THREE</b>	
<b>Socio-Economic Information of the Respondents</b>	<b>13</b>
3.1 Introduction	13
3.2 Main Characteristics of the Family	13

3.3	Level of Education of Respondents	14
3.4	Occupation of the Betel Farmer	15
3.5	Duration of Engagement in Betel Farming	16
3.6	Reasons for Engaging in Betel Farming	16
3.7	Ownership of Betel Land	17

## **CHAPTER FOUR**

<b>Economics of Export Betel Production</b>		<b>19</b>
4.1	Introduction	19
4.2	Agro-Biological Factors in Betel Vine Cultivation	19
4.3	Economics of Export Betel Production	23
4.4	Various Cost Components of Export Betel	23
4.5	Construction Cost of Betel Field	25
4.6	Land Preparation	26
4.7	Fertilizer Use in Betel Cultivation	27
4.8	Fertilizer Usage	28
4.9	Use of Insecticides and Pesticides in Betel Cultivation	29
4.10	Cost of Irrigation	30
4.11	Employment Pattern in Betel Cultivation	31
4.12	Farm and Family Size of the Sampled Growers	31
4.13	Utilization of Total Labour, Family Labour and Hired Labour	32
4.14	Cost of Production and Income of Export Betel Crop	33
4.15	Maintenance Cost for Betel per Month	35
4.16	Time Taken for the First Harvest	35
4.17	Year wise Cost Breakup	36
4.18	Economic Efficiency of Betel Production	36
4.19	Gross Income and Net Return	37
4.20	Return on Working Capital	37
4.21	Capital Output Ratio	38

## **CHAPTER FIVE**

<b>Marketing of Betel</b>		<b>39</b>
5.1	Introduction	39
5.2	Marketing Costs and Margins	39
5.3	Export Marketing Channels	40
5.4	Price Spread of Export Betel	41
5.5	Establishment of Betel Export Trade Centre	43
5.6	Betel Marketing Functional Approach	43

<b>CHAPTER SIX</b>	
<b>The Constraints Faced by the Betel Growers</b>	45
6.1 Introduction	45
6.2 Constraints in the Production of Betel	45
6.3 Economic and institutional Factors	46
6.4 Constraints in the Problems in Marketing of Export Quality Betel	48
6.5 Interface Marketing of Export Betel	50
<b>CHAPTER SEVEN</b>	
<b>Findings, Conclusion and Recommendations</b>	
<b>Suggestion and Policy Implications</b>	53
<b>REFERENCE</b>	56

## LIST OF TABLES

		<b>Page No.</b>
Table 1.1	Selection of Respondents	06
Table 3.1	Age Distribution of the Export Betel Farmers	13
Table 3.2	Distribution of Export Betel Farming by Gender	14
Table 3.3	Level of Education of Sample Farmers	15
Table 3.4	Occupation of the Betel Farmer	15
Table 3.5	Duration of Engagement in Betel Farming	16
Table 3.6	Reasons for Engaging in Export Betel Farming	17
Table 3.7	Ownership of Betel Land	17
Table 4.1	Various Cost Components of Betel Cultivation for One Year	22
Table 4.2	Percentage of Various Cost Components of Betel Cultivation	24
Table 4.3	Construction Cost of Betel Field (One year)	25
Table 4.4	Estimated Cost of Land Preparation (One year)	26
Table 4.5	Fertilizer Use in Betel Cultivation	27
Table 4.5.1	Fertilizer Usage by District	28
Table 4.6	Types of Insecticides and Pesticides Used in Betel Cultivation	29
Table 4.7	Cost of Irrigation	30
Table 4.8	Irrigation Use by District	31
Table 4.9	Operational Holding and Size of Family	32
Table 4.10	Family and Hired Labour per 1000 Sticks of Betel	33
Table 4.11	Total Expenditure and Production of Export Betel	34
Table 4.12	Maintenance Cost per 1000 Sticks per Month	35
Table 4.13	Time Taken for Harvest	36
Table 4.14	Year wise Estimated Breakup of Cost Involved in Betel Cultivation	36
Table 4.15	Estimated Gross Income and Net Return per 1000 Sticks	37
Table 4.16	Percentage Return on Working Capital by District	37
Table 4.17	Per Capital Output Ratio	38
Table 5.1	Pattern of Betel by Channel	40
Table 5.2	The Time of Payment for Farmers	41
Table 5.3	Price Spread per 10,000 Leaves of Betel Through Various Marketing Channels	42

Table 5.4	Agreement of Establishing a Betel Export Trade Centre	43
Table 6.1	Agro Biological Factors Limiting Production	45
Table 6.2	Cost of Input and Institutional Factors Limiting Production	46
Table 6.3	The Problems in Marketing of Export Betel	49

## LIST OF FIGURES

		<b>Page No.</b>
Figure 1.1	Betel Production Level by District for 2010 and 2011	02
Figure 1.2	Extent of Export Betel Cultivation 2002 – 2011	03
Figure 1.3	Betel Export Price and Quantity	03
Figure 4.1	Average Price of Export Betel at Kuliypitiya Fair	34

## LIST OF ABBREVIATIONS

AD	-	Anno Domino (Christian calendar concept)
ADC	-	Agrarian Development Center
ARPA	-	Agriculture Research and Production Assistant
BC	-	Before Christ (Christian calendar concept)
BPMC	-	Betel Produce Marketing Committee
DCS	-	Department of Census and Statistics
DEA	-	Department of Export Agriculture
DEC	-	Dedicated Economic Center
HARTI	-	Hector Kobbekaduwa Agrarian Research and Training Institute
RCBD	-	Randomized Complete Block Design


# CHAPTER ONE

## Introduction

### 1.1 Background

The scientific name of betel is (*Piper betel Linn*). It belongs to the family of piperaceae, i.e. the black pepper family. It has been very intimately connected with the ancient Sri Lankan history, religion and culture as is evident in many early Sanskrit scriptures (3000 BC), such as Vedas, Ramayana, Mahabharata and Mahavamsha. Marcopolo (1295 AD) recorded the betel chewing habit of the people in Sri Lanka. It is essentially offered after meals and also during other social gatherings. Medicinal properties of betel were recognized during 600 AD when the Ayurvedic system of medicine came into practice. Betel leaves are beneficial to the throat and remove viscosity in human beings. Leaves help digestion and tend to remove the bad smell of the mouth. The juice of betel leaves is used as an adjunct to pills administered in the Ayurvedic medicines. The freshly crushed leaves are used as an antiseptic for cuts and wounds. It is also good for the respiratory system and is used in treatment of bronchitis, cough and cold (Chopra *et al*, 1958). The leaves of the betel plant have been traditionally used for chewing. Betel chewing is considered as a good and cheap source of dietary calcium. It increases digestive capacity when used with lime. Besides, it neutralizes the acidity and acts as a blood purifier. The main constituents of betel leaves are vitamin B and C and carotene.

Betel plays a major role in the Sri Lankan export market by contributing an average of Rs.400-500 million annually and it has become the main income source for many farmers in Kurunegala and Gampaha administrative districts of Sri Lanka. Since 1974, betel has gained a significant position in the export market in addition to a well spread domestic market. Betel for export market is mainly grown in Kurunegala district (65% of total betel production) and in Gampaha district (22%) (Sumanasena *et al*, 2005a). According to the statistical data, around 25,000 to 40,000 families' sole income is betel farming in Kurunegala, Gampaha and Kegalle districts. Although the volume and corresponding value of exports have shown a fluctuation from 1974 to 2005, it has brought in a substantial amount of foreign exchange to Sri Lanka (Anon, 2004). Although there are no accurate findings on the betel industry and about the extent under cultivation, 4000 - 5000 hectares have been used for the betel industry.




Source: Export Agriculture Department, 2013

**Figure 1.1: Betel Production Level by District for 2010 and 2011**

Production of betel is widespread in many districts in Sri Lanka but Kurunegala, Gampaha, Kegalle, Kalutara, Colombo, Rathnapura, Matara and Galle have more potential to grow betel. (Figure 1.1).

The Export Agriculture Department took action with the funds of Secondary Perennial Crop Development Project to improve productivity with high technology by using special technical training and demonstrations. Because of that the land extent (*Figure No 1.2*) under betel cultivation has increased.


Betel leaves were harvested at 21 day intervals as per the requirement of the export market. Leaves were categorized into four groups namely, *Large peedunu kola*, *Small peedunu kola*, *Large kanda kola* and *Small kanda kola* as per Department of Export Agriculture’s guidelines (Anon, 2004) prior to the collection of data.



Source: Export Agriculture Department, 2013

**Figure 1.2: Extent of Export Betel Cultivation 2002 – 2011**

The number and the weight of leaves were recorded on vine basis. Factors such as requirement of continuous supply of Nitrogen in limited quantities for optimum yield of good quality leaves (Mishra *et al.*, 2005), and fairly high profitability from export quality betel leaves (*Kalubulath*) prompt farmers to apply expensive new granular form fertilizer mixtures or recommended straight betel fertilizer mixture in excess.



Source: Export Agriculture Department, 2013

**Figure 1.3: Betel Export- Price and Quantity**

Figure 1.3 shows that from 2002 to 2007, price and the export quantity increased but after 2007 the export quantity of betel production decreased. The reason for the reduction of betel export was the production prices which overrode the market prices of

betel. As a remedial measure, in 2004 the Department of Export Agriculture and Ministry of Agriculture planned out a betel farmers' organization under the guidance of betel crop development national programme in 2006 ("Bulath Arunella"/National Betel Development Programme 2006). Even though the Government needs to develop local and foreign market this problem has not been solved yet. However, after 2009 betel production for the export market has been increasing gradually due to establishment of farmer field demonstrations, conducting of training programmes and encouragement from the Export Agriculture Department. The department took steps under the funds provided by the "Second Perennial Crop Development Project" to improve productivity with high technology by using special technical training and demonstrations. As a result, the land extent under betel cultivation has increased.

Pakistan is the major market for Sri Lankan betel though it too grows betel in the country. The consumers prefer Sri Lankan betel because of the high quality. Pakistan's estimated daily consumption is 50 tons of betel and they produce 35 tons in their country. Fifteen tons are imported from Sri Lanka, India, Thailand and Bangladesh. Sri Lanka exports 76% of betel to Pakistan. The main reason for the preference of Sri Lankan betel is its good appearance and the taste. However, betel producers face grave problems due to price fluctuations and betel producers are losing interest following uncertain situations in the market. During this time in Sri Lanka, there is a huge increase in production; however Pakistan has less interest in Sri Lankan betel therefore the local economic level of betel has decreased gradually.

Pakistan is the main importing country of our betel and the export income is gradually increasing. But there is a reduction in betel production. Failure to receive a certified price for farmers is the reason. In Pakistan, 95% of betel imports are mainly used for chewing. However, countries such as England, Canada and Japan use betel to make value added products such as tooth paste, soap and detergent. Five per cent of betel export is used for value added medicinal products. It is revealed that price of 1000 betel leaves has reduced from Rs 5000 to Rs 900 during 2-5 weeks. These price reductions may be due to monopoly of the betel market.

The domestic betel value chain indicates that there are eight major actors namely input suppliers, producers, collectors, processors, wholesalers, retailers, exporters and consumers who are directly involved in the primary activities of the value chain. Chain supporters such as the Department of Export Agriculture, Export Development Board, farmer organizations, financial institutions, private sector and universities are involved in research and development, financial, marketing and extension services. Major inputs include planting material, farm machinery and dead supports for betel vines, to grow on capital, fertilizer, agro-chemical and labour provided by the Department of Export Agriculture, fellow farmers and private companies. Price fluctuation, lack of consistent supply and quality betel planting material, lack of technical and market information flow among the value chain actors are the main constraints faced by collectors and marketers.

## **1.2 Problem of Study**

The high cost of production, insufficient price, insufficient water, high fertilizer cost, difficulties in finding and transporting of sticks for Pandalam/supporting structure of the vine, finding of healthy disease free planting materials(*tender cuttings*), unavailability of an organized domestic market and organized dominant trade centre, no justifiable prices, determining the prices through bargains by middlemen are the problems faced by the farmers in betel cultivation (Rathnasoma, 2002). The growers are very much unorganized and not used to maintaining proper production and marketing statistics of their products. The traders are very much reluctant to furnish data regarding the actual price prevailing in the market and profit earned. Thus, it is very difficult to obtain accurate basic output data. Since prices of betel highly fluctuate, growers/traders are unable to provide accurate data on benefit/profit earned from its production and trade. Critical marketing problems of betel industry are fluctuation, low prices than high cost of production. Sri Lanka is recognized as one of the best producers of spices in the world. However, it was noted that there was a wide information gap among different actors of the betel value chain, hindering the achievement of the above target. Therefore, this study aims at analyzing the betel value chain, focusing on two major betel cultivating districts, namely Kurunegala and Gampaha.

## **1.3 Research Objectives**

1. To identify constraints in betel productions for export market and explore its developmental possibilities.
2. To study the marketing of betel with reference to marketing channels and the price spread.
3. To assess the cost/benefit of betel production process.
4. To study the farmers' views and suggestions to establish main trade centre for exporting.

## **1.4 Limitations**

1. The growers are very much unorganized and not used to maintaining proper production and marketing statistics of their products.
2. The traders are very much reluctant to furnish data regarding the actual price prevailing in the market and profit earned etc. Thus, it is very difficult to obtain fully accurate basic output data.
3. Since prices of betel highly fluctuate, growers/traders fail to supply exact data of benefit/profit earned from its production and trade.

## 1.5 Methodology

### 1.5.1 Selection of Growers

For the purpose of the study, Kurunegala and Gampaha districts were selected purposively, because contribution for total betel exports is 65% and 22% respectively from the two districts. In choosing the sample of betel growers an attempt was made to select the sizeable number of growers, as per the proposed study design. However it was found that the cultivation of this crop is in a very limited area and so it was very difficult to categorize the growers according to the number of betel vine sticks used which ranged between 500 to 1000 as per the records available in the respective Agrarian Development Centres. Village wise probability proportion method for the selection of ultimate growers was adopted. About 25% of the betel growers formed the sample of the study.

**Table 1.1: Selection of Respondents**

District	Name of A.D. C.	Total Number of Growers under Each A.D.C.	Number of Respondents Selected
Kurunegala	Kuliyapitiya	120	30
	Kitalawela	92	23
	Yakwila	136	34
	Deegalla	52	13
	Alawwa	80	20
Gampaha	Maradagahamula	52	13
	Udugampola	28	7
	Mirigama	80	20
Total		640	160

Source: Agrarian Development Centre

### 1.5.2 Selection of Market Functionaries (Traders)

To examine the price spread of producer and retailers of betel, four POLA markets from the two districts were chosen: Kuliyapitiya, Kadanegedara, Alawwa and Narammala. The sample comprised four middlemen, and two local and two foreign exporters from each district to investigate the betel export marketing channels.

## 1.6 Method of Data Collection

The data related to production and marketing were collected by a survey method. The reference year of the data collection was May 2012 to September 2012. Secondary

information related to potential, cost of production, growing areas' agronomic practices on cultivation of betel vine, extent of crop was collected from the offices of the respective Agrarian Development Centres and districts. The marketing aspect was studied with the help of traders chosen in order to obtain information about betel production and marketing practices. The research team visited sampled areas with well structured and pre-tested questionnaire-cum-schedule for collection of desired information. The secondary data was also collected through websites, journals, and publications of the Agriculture Department and Department of Export Agriculture.

### **1.6.1 Calculation of Costs**

#### **A. Labour Cost**

Three types of labour were found engaging in different activities of betel cultivation.

1. Hired Labour
2. Family Labour
3. Permanent Labour

“Hired Labour” is employed only for labour intensive activities in betel cultivation while permanent labour is engaged in all most all the activities on the basis of monthly payment.

#### **B. Land Cost**

The payment made by the grower, on either owned or leased individual plot was considered as the land cost. The other input costs, such as manure, fertilizer, insecticides, pesticides and irrigation were calculated on the basis of market value prevailing during the reference year. The costs of building, machinery and implements were worked out at the current market price subtracting depreciation.

### **1.6.2 Method of Data Analysis**

Garrett's Ranking Technique (Garrett, 1969) has been applied to analyze the primary data. The respondents were asked to rank the given factors that were limiting the production of betel and also to rank the problems in marketing. The order of merit thus given by the respondents was converted into ranks by using the formula.

$$\text{Present position} = \frac{100(R_{ij}-0.5)}{N_j}$$

**Where**

***R<sub>ij</sub>* - rank given for *i*-th factor by *j*-th individual**  
***N<sub>j</sub>* - number of factors ranked by *j*-th individual**

The present position of each rank thus obtained converted in to scores by referring to a table given by Garrett and Woodworth. Then for each factor, the scores of individual are added together and divided by the total number of respondents for whom the scores were added. These mean scores for all the factors are arranged in descending order, ranks are given and the most limiting factor is identified. General tabular analysis was done with the help of simple average and percentage.

## CHAPTER TWO

### Review of Literature

#### 2.1 Introduction

This chapter briefly reviews the existing literature with a focus on the subject matter dealt with in the report. There have been a few studies focusing on betel production and marketing directly or indirectly by turn of the century and many of these were reviewed before the commencement of the survey to identify the matters relevant to the study. The literature reviewed included exportable betel quality, betel leaves grading process and review of other countries' betel production and marketing.

#### 2.2 Production and Marketing of Betel

Betel is an evergreen, perennial climber widely grown all over Sri Lanka. The commercial product is the leaf, mainly used for chewing with arecanut, slaked lime, tobacco and some other ingredients. Betel chewing habit in Sri Lanka dates back to 340 B.C and during that time betel was an item used by the prestigious society of the country. The origin of betel is believed to be in Malaysia or in the surrounding East Asian region and it is said to have been introduced to Sri Lanka and other South Asian countries by Chinese and Arab merchants. However, over ten wild varieties of betel are found in Sri Lanka. Today betel is grown for local consumption and exporting and major betel growing countries are Sri Lanka, India, Thailand and Bangladesh. Pakistan is the major importer of Sri Lankan betel.

Literature on exportable betel production and marketing in Sri Lanka is scanty. It is trained on poles or trellis. The leaves of this plant are economically and medically important. Betel leaves have been traditionally used for chewing along with other condiments. This chewing combination is quid and type of ingredients used could vary from country to country. In Sri Lanka more than 12 species found are endemic. Betel is a very good cash crop and is also cultivated in some other countries such as India, Bangladesh, Pakistan, the Philippine Islands, and East Africa (Sri Lanka Spice Council, 2010).

Betel is a dioecious plant grown in Sri Lanka as a cash crop (Rathnasoma and Senavirathna, 2002). Betel leaves are used for chewing (Arulmozhiyan & Thambura, 1998). Sri Lankan betel industry has a long history dating back to 340 A.D. (Rathnasoma and Senavirathna, 2002). The major betel growing districts in Sri Lanka include Kurunegala (65%) and Gampaha (22%) mainly for exporting (Sumanasena *et al*, 2005 a). Since 1974, betel has gained a significant position in the export market in addition to a well spread domestic market. Pakistan is the major market for Sri Lankan betel. Although the volume and corresponding value of exports have shown a fluctuation from

1974 to 2005, it has brought in a substantial amount of foreign exchange to Sri Lanka (Anon, 2004). Betel is a semi-woody, perennial climber. It shows dimorphic branching habit. The orthotropic vegetative branches have adventitious roots that adhere to the supports. Plageotropic axillary branches which bear fruits do not have roots (Rathnasoma and Senavirathna, 2002). Therefore, betel vines should be trained on to supports, which should be established in the field three weeks after planting. Then the arial roots of the betel vine may climb easily (Anon, 1984).

In all betel-growing countries, both live and dead supports are used in betel cultivations. In India, mainly live supports such as *Sesbania grandiflora* and *Erythrina indica* are used by betel growers (Chaugule, 1960). In Sri Lanka, betel growing farmers are using “*Varaniya, Kuratiya, Malkera, Kabella, Andara and Godapara*” which are wild bushy type trees and most of them are found in natural forests or man made forests. Due to deforestation, availability of these sticks has reduced and the scarcity has compelled the betel growers to look for alternatives. As a result, potential materials that can be used as supports for betel vines need to be studied. Hence, the use of coir ropes, teak side branches, *Kooratiya* and *Gliricidia sepium* as supports are tested in the following experiment. Betel stem cuttings were planted in the "flat sunken" beds in size of 240cm x 120cm. There were 24 sticks for 48 vines (two betel vines per stick) in one plot and total of 216 sticks and 72 coir rope supports for the whole experiment. The betel was planted in three rows at spacing of 45cm between rows and 30cm within a row. Each plot was established 150 cm (5 feet) apart. Standard cultural practices were followed. Establishment of supports was done using Teak sticks (T1), *Kooratiya* sticks (T2), Coir rope supports (T3) and *Gliricidia* sticks (T4) as the treatments of the experiment. The experiment was laid out in a RCBD with three replications. The data recorded were, 1) Total yield/plot/harvest (Total number of leaves), 2) Percentage of large leaves/harvest, (Leaves more than 16 cm in length and 12 cm in width were considered as large leaves) 3) Weight (g) of 100 "peedunu" leaves, and 4) Number of replacing times of supporting materials. Harvesting of leaves commenced during the 26th week after planting. After harvesting, the total number of leaves/plot was counted and fresh weight of leaves was measured using top – loading balance. Harvested leaves were sorted according to the size of the leaves and categorized as large leaves and small leaves. The percentage of large leaves was calculated. The number of replacing times of supporting materials was also recorded. Scoring index was devised to find out the best supporting material considering all the data recorded.

### 2.3 Betel Sticks per Acre

Department of Export Agriculture (2004) on betel published by the Department of Export Agriculture has identified the number of betel sticks per acre as 4704 and the number of planting beds – 98 per acre, 48 sticks per bed in three rows, (**Stick 4704 ÷ 4 = 1176 stick per acre ¼ (quarter acre).**)

## 2.4 Export Quality of Betel Leaves Grading

The study of Sumanasena and Chandana (2005) revealed the both ***Kanda Kola*** and ***Peedunu Kola*** were significantly improved under daily irrigation (5mm per day), but no distinct change was observed on the leaf production with change of irrigation method from conventional manual splash irrigation using a domestic bucket to drip irrigation. In this study, the current fertilizer recommendation performed almost similar to the granular fertilizer in betel leaf production. Application of daily watering at approximately five mm depth equivalent for betel vines, whenever any intermittent dry spell approached five consecutive dry days or longer, seems to be advisable for continuous production of export quality betel leaves throughout the year. Betel harvest (number of leaves and fresh weight) was recorded on vine basis. Leaves were categorized into four groups as follows.

***Peedunu large leaves:*** Leaves of plageotropic branches having an approximate length of 25cm and width of 16cm at the widest point.

***Peedunu small leaves:*** Leaves of plageotropic branches having an approximate length of 18cm and width of 11cm at the widest point

***Kanda large leaves:*** Leaves of orthotropic branches having an approximate length of 20cm and width of 15cm at the widest point.

***Kanda small leaves:*** Leaves of orthotropic branches having approximate length of 12cm and width of 08cm at the widest point.

Betel farmers harvest leaves at 21 days interval for export market and leaves are sorted into the above categories using above dimensions and other factors such as crispness and dark green colour by their experience. The farm gate/local market selling prices of the betel leaves are based on the above grouping. Betel leaves are the sole marketable product of betel cultivation and therefore, betel leaves were harvested during the study period.

The weight of a betel leaf (as grams) is also one of the important parameters, as selling price of export quality leaves are indirectly associated with it. Even though farm gate sales are decided on the number of leaves having dark-green colour and brittleness, the real quality of ***Kalu Bulath*** is at export level. For example, a basket of 9kg having 25-28 bundles (***Bulath Atha*** or a sheaf of 40 leaves) is considered as the best quality in comparison to a basket of 9kg having 35-40 bundles.

## 2.5 The Review of Indian Experiences in Betel Production and Marketing

In 1978, the Government of West Bengal reported that a piece of 16.5 decimal of land under the betel cultivation was considered to be an economically viable unit for

sustenance of a five-member family. Saniyapan and Marimuthu (1982) conducted a comparative study and found that per acre cultivation expenses were higher in betel in comparison to banana and sugarcane. They also found that per acre income in betel cultivation was six times higher than that of banana and sugarcane. On that basis, they suggested that the crop 'betel' is more remunerative than banana and sugarcane. There is considerable regional disparity in betel production. In some regions of the country, this crop is very risky and unremunerative, so other horticultural plants are replacing this. Gadre and Galgalikar (1988) in their study found that the cost of establishment of betel vine bareja (*Bulath Kotuwa*) was maximum, followed by human labour. They have also worked out the input output ratio, which is 1:2.10. It is fairly high. Sundaram (1987) observed that betel is a highly capital and labour intensive crop. Mukherjee and Giri (1991) observed that the yield of betel leaves varied in various months of the year. It was comparatively low during the winter months than in the summer months. Cost of cultivating a hectare of betel during the first three years (since establishment), was Rs.45,000. The cost benefit ratio is 1:1.85. The marketing of betel has been wide spread and scattered throughout the country. Even in this aspect, specific studies are very limited. It is reported that there is a special betel leaves market (Anon, 1986). It was observed that some undesirable conditions prevail in the course of marketing and affect the economy of the growers and traders (Anon, 1982). Some of the constraints are monopoly of the buyers, malpractices, inadequate transport and insufficient export promotion, etc. Grade and Galgalikar (1988) examined the price spread in betel leaf, which consisted of producer, trader, agents, wholesaler, and retailers. They found that the producer's share in the consumer's Rupee was 45 per cent. Ghoshal, Mazumder and Acharya (2010) observed in their study that betel farmers had been exploited by several middlemen during marketing because the farmers grew the crop with their indigenous knowledge and skill and long farm experience without any knowledge of scientific techniques.

According to Kaleeswari and Sridhar (2013), betel cultivation and market crisis was observed in Karur District. Primary analytical method has been used for the purpose of conducting this research. The research was conducted in Krishnarayapuram block in Kulithalai Taluk of Karur District. The sample used in this empirical study consists of 94 respondents drawn through the simple random sampling technique. Information was gathered by personal discussions with farmers through an interview schedule by adopting convenience sampling technique. The secondary data was collected through websites, journals, and publications of the Agriculture Department. Garrett's Ranking Technique has been applied to analyze the primary data. The respondents were asked to rank of the given factors that are limiting the production of betel and also to rank the problems in marketing. The order of merit thus given by the respondents was converted into ranks by using the formula.

## CHAPER THREE

### Socio -economic Information of the Respondents

#### 3.1 Introduction

The chapter presents the primary data on the socio-economic background of the respondents, who engage in betel farming for exports and their main characteristics. The chapter presents data related to the level of education, age distribution, gender, occupation, experiences, reasons for involving and ownership of land.

#### 3.2 Main Characteristics of the Family

The present families in betel farming are mostly extended families consisting of head of the household (mostly the farmer), housewife and 4-5 children. Sometimes households also consist of some close relatives such as parents and grandparents of the farmer. Further, results of the survey indicate that the average family size of the sample of respondent is 4.53, which is greater than the national average of 4.0 (Department of Census and Statistics, 2010). The highest average household size in the Kurunegala district is 4.8. Nearly half of the households have 4 to 5 family members while only 61% of households have more than 6 members.

**Table 3.1: Age Distribution of the Export Betel Farmers**

Age group of the Farmer	Kurunegala		Gampaha		Both Districts	
	Number N=120	Percentage	Number N=30	Percentage	Number N=150	Percentage
<=25	1	8	2	6.7	3	2
26<=35	13	10.8	4	13.3	17	11.3
36<=45	26	21.7	9	30	35	23.3
46<=55	39	32.5	5	16.7	44	29.3
56<=65	30	25	4	13.3	34	22.6
65<=	11	9.2	6	20	17	11.3
<b>Total</b>	120	100	30	100	150	100

Source: Survey data, 2013

It is important to find out about the age group of farmers in this field. Thus, the table 3.1 depicts the majority of age group of people who are involved in this industry. It is essential to discover farmers' age and then it can be identified which age group of people are involved in this field the most.

This Table 3.1 illustrates that in Kurunegala people between age 46 and 55 years (32.5%) engaged in betel production represent the prominent group. Also the group

between 36 and 45 years is inclined to betel farming. In Gampaha district betel industry is popular in the 36 to 45 age group. It is important to recognise that the age 65 and above are interested in this field. As a result, nearly 29% of people include in the age category between 46 and 55 and 23.3% of people who are between age 36 and 45. According to overall data, the age groups of people such as less than 25 years, between 26 - 35 and above 65 years are less inclined to be involved in betel production.

**Table 3.2: Distribution of Export Betel Farmers by Gender**

Gender	Kurunegala		Gampaha		Both Districts	
	Number N=120	Percentage	Number N=30	Percentage	Number N=150	Percentage
Female	6	5	1	3.3	7	4.7
Male	414	95	29	96.7	143	95.3
Total	120	100	30	100	150	100

Source: Survey data, 2013

Table 3.2 shows that 95% of male and 5% of female are involved in betel farming in Kurunegala district whereas in Gampaha, 96.7% of males and 3.3% of females are engaged in this activity. Therefore, 95.3% of men and 4.7% women are engaged in this field.

### **3.3 Level of Education of Respondents**

Table 3.3 shows the level of education of the betel farmers. Thus a higher proportion, 52% farmers have passed GCE (O/L). It can be clearly seen that most of them have completed their education up to Ordinary Level in these two districts, as 53.3% in Kurunegala district and 46.7% in Gampaha district. As much as 0.6% of them had not received formal education in the two districts and the data shows that there are no graduates among the farmers but only 16.6% of the farmers have studied up to GCE Advanced Level.

**Table 3.3: Level of Education of Sample Farmers**

Level of Education	Kurunegala		Gampaha		Both Districts	
	Number N=120	Percentage	Number N=30	Percentage	Number N=150	Percentage
Not attended	1	0.8	0	0	1	0.6
Year 1-5	7	5.8	0	0	7	4.6
Year 6-11	29	24.2	9	30	38	25.3
Passed (GCE(O/L))	64	53.3	14	46.7	78	52
Passed (GCE(A/L))	19	15.8	6	20	25	16.6
Diploma	0	0	1	3.3	1	0.6
Total	120	100	30	100	150	100

Source: Survey data, 2013

### 3.4 Occupation of the Betel Farmer

Table 3.4 shows that more than 88.6 percent were engaged in farming. It was 90% from the Kurunegala district and 83.3% from the Gampaha district. The overall sample was 88.6%. In the Kurunegala district, 5% of farmers worked in the government sector and it was not seen that there were farmers who worked as government servants in the Gampaha district. It also shows that in the Kurunegala district 1.7 % of farmers worked in the private sector and others from the Gampaha district are self-employed and engaged in business. There are some pensioners who are involved in this field in both districts and it was 3.3%.

**Table 3.4: Occupation of the Betel Farmer**

Occupation	Kurunegala		Gampaha		Both Districts	
	Number N=120	Percentage	Number N=30	Percentage	Number N=150	Percentage
Farmer	108	90	25	83.3	133	88.6
Government employee	6	5	0	0	6	4
Agricultural Labourer	2	1.7	0	0	2	1.3
Self Employed	2	1.6	2	6.7	4	2.6
Pensioner	3	2.5	2	6.7	5	3.3
Total	120	100	30	100.0	150	100

Source: Survey data, 2013

### 3.5 Duration of Engagement in Betel Farming

The main purpose of this reserach was to find out farmers' betel farming experiences, their farming information which is in table 3.5 below. According to that information, four percent of farmers (4%) have experience in betel farming of above 41 years. About 31% of overall sample has between 11 and 20 years of experience. Secondly, 26% of the farmers belong to the category between 5-10 years of experience. Farmers whose experience is between years 21-30 are 26% of the sample. Betel farmers have extensive experience gained from father or grandfather. Such experience is a reason why the betel farmers do not heed the advice of the Agricultural Officers.

**Table 3.5: Duration of Engagement in Betel Farming**

Duration Years)	Kurunegala		Gampaha		Both Districts	
	Number N=120	Percentage	Number N=30	Percentage	Number N=150	Percentage
5<=10	28	23.33	12	40.00	40	26.67
11<=20	37	30.83	10	33.33	47	31.33
21<=30	37	30.83	2	6.67	39	26.00
31<=40	14	11.67	4	13.33	18	12.00
41<=	4	3.33	2	6.67	6	4.00
Total	120	100.00	30	100.00	150	100.00

Source: Survey data, 2013

### 3.6 Reasons for Engaging in Betel Farming

The respondents have given more than one reason for engaging in betel farming. The table 3.6 below shows the reaons for involving in betel farming. According to the Table 3.6, 71.3% of farmers have been continuing this from generation to generation. Secondly, 67.3 % continue as a weekly income generating activity and thirdly, 64% are involved in this considering profitability. In the Gampaha district, 86.7 % of farmers have been involving in this as it is a traditional family venture. Nevertheless farmers from Gampaha district are involved in this because of convenience to practice during their free time.

**Table 3.6: Reasons for Engaging in Export Betel Farming**

Reason	Kurunegala		Gampaha		Total	
	Number N=120	Percentage	Number N=30	Percentage	Number N=150	Percentage
Traditional family occupation	81	67.5	26	86.7	107	71.3
Profitable	78	65.0	18	60.0	96	64.0
Weekly income generated	89	74.2	12	40.0	101	67.3
Convenience	33	27.5	17	56.7	50	33.3
Extra Income Source	47	39.2	8	26.7	55	36.7

Source: Survey data, 2013

### 3.7 Ownership of Betel Land

There are two main types of land operations in two districts mainly, owner operation and operations without wages. Non-paid land operational methods are mainly based on lease, friendship and family relationship. Table 3.7 illustrates the ownership status of the betel land in both districts. Thus about 72.2% of the farmers in both districts owned betel lands and this means most farmers have at least one highland with single ownership. Information gathered on the ownership status of betel lands shows that if farmers cultivated more than one plot, they obtained the second or third plot through a friend or a relative without paying for it. Farmers have their own lands to grow betel and it is 72.7 % of the overall sample.

**Table 3.7: Ownership of Betel Land**

Ownership	Kurunegala		Gampaha		Total	
	Number N=120	Percentage	Number N=30	Percentage	Number N=150	Percentage
Single	89	74.2	20	66.7	109	72.7
Joint	3	2.5	0	0.0	3	2.0
Non Paid	28	23.3	10	33.3	38	25.3
Total	120	100.0	30	100.0	150	100.0

Source: Survey data, 2013

It is shown that 72.7% of the farmers grow betel in their own land as a small scale production. The coconut cultivators in the selected area rent out their cultivated lands free of charge to betel producers and hence there is zero land cost for betel under such land plots. Approximately 25% of betel farmers in the sample cultivate in this manner. Coconut cultivators believe that intercropping betel in coconut lands leads to increasing soil fertility and it brings long-term benefits to coconut cultivation.

## CHAPTER FOUR

### Economics of Export Betel Production

#### 4.1 Introduction

In order to assess economics of betel production cost items have been grouped under two subheadings i.e., variable cost and working fixed cost. The variable cost consists of material used in the cultivation such as construction of woody sticks, Pandalam/ supporting structure of the vine, vine cutting costs, land preparation cost, fertilizer cost, plant protection cost, irrigation cost, inter-culturing cost, harvesting cost and packing cost. On the other hand, the fixed cost comprises land revenue, depreciation, and interest on fixed capital other than the land cost.

#### 4.2 Agro-Biological Factors in Betel Vine Cultivation

##### Climate

Elevation – Betel can be successfully grown up to 1000m msl. Well-distributed annual rainfall enhances the growth of betel vines. Betel is a shade loving plant but produces better quality leaves in the wet zone and intermediate zones rather than in the dry zone. Appropriate shade levels and irrigation are essential for successful cultivation of the crop. Hot dry winds are harmful and retard the growth of the vine. The ideal weather condition for the plant is mild temperature, i.e., about 10°C in winter and about 40°C in summer for good growth of this shade loving plant. About 170cm rainfall and presence of high humidity 60 to 80% throughout the year is ideal for this crop. Below 10°C and above 40°C temperatures cause wilting. The vines grow fast and their vegetative growth is good under high humidity. The amount of air movement affects the rate of evaporation and is therefore, one of the chief factors controlling the water relations of betel vine (Sri Lanka Spice Council, 2010).

##### Soil

Betel can be successfully grown in well-drained, fertile soils in wet to dry climatic zone of Sri Lanka. Especially the lateritic and clay loam soils in Kurunegala and Gampaha districts are highly suitable for betel cultivation. Waterlogged, saline or alkali soils are not suitable for the growth of betel. However, this crop is very sensitive to saline and alkaline soils.

The best performance is noticed in upland having slight alkaline to neutral soil with 07 to 7.5 pH (Sri Lanka Spice Council, 2010).

##### Field Planting

Betel is usually planted in sunken beds. The field should be flat, well drained with good sun shine. The field should not have a betel cultivation infected with Bacterial Leaf Blight

at least for 2 years. After the land preparation, beds, usually in the size of 1.2m x 7.5m, are prepared. Bed size can vary with the space available. Adequate spacing should be left between beds to allow management practices and to control the spread of disease. Beds should be sterilized by burning straw on it. Around the cluster of beds a drainage canal of 30cm width, 60cm depth should be built. An artificial live or dead support should be provided to betel for upright climbing. Supports, called as stakes, are established in the beds at the spacing of 45cm x 45cm. Two cuttings are planted near a stake. Before planting, cuttings should be immersed in a fungicide mixture for about two minutes. Instead of beds, betel can be established as single plants. Cuttings are planted in 30cm x 30cm pits, filled with top soil and cow dung mixture, and stakes of 2-4cm diameter should be established as supports. The spacing between plants is 1.8 x 1.8cm. Either live supports of *Gliricidia sepium* or durable dead wood support can be used. Beds should be covered with coconut fronds or other shading material for about 4-6 weeks. Beds should be watered once or twice daily. Sprouting from cuttings starts within 20-45 days and after that shade should be removed gradually. (Department of Export Agriculture, Sri Lanka, 2013).

## **Crop Management**

### **Fertilizer application**

Betel leaves are picked once in every 3-4 weeks and with that a substantial quantity of nutrients is removed from the field. Therefore application of chemical fertilizer is essential for a higher yield and better growth.

### **Fertilizer recommendation**

Urea	195g	Muriate of Potash	100g
Triple Super Phosphate	65g	Keserite	60g

About 420g of the above mixture should be applied to 100 betel vines in every three weeks intervals. (Department of Export Agriculture, Sri Lanka, 2013).

### **Organic fertilizer**

Initially cow dung or compost should be applied to the bed after about one month and it should be mixed well with soil without damaging the newly planted cuttings. Well composed poultry manure or goat manure can also be used for betel. Application of decomposed *Gliricidia* leaves is highly beneficial for better growth and a higher yield. It is generally trained either to live supports or dead supports but concrete post or coir ropes can also be used as substitutes.

Pruning at 1m height of the betel is preferred to increase the plagiotropic branches and yield. After 1.2 m growth of the betel Trellis is established. (Department of Export Agriculture, Sri Lanka, 2013).

### **Standard quality specifications for export**

There are no specific quality parameters for betel. But for export quality betel the following criteria is considered, Size of the leaf – At least 20cm in length and 15cm in width, Color – well matured dark Green color leaves , High pungency, Freshness of the leaves, Stem of the leaf must be 2.5-3cm (Department of Export Agriculture, 2004).

### **Diseases**

Betel leaf blight is caused by a bacteria called *Xanthomonas campestris betlicola*. The disease becomes epidemic during rainy seasons. First characteristic symptom is moist oily patches on the other side of the leaves. Gradually they spread and turn brown or black. When the condition is serious these patches can spread to the stem resulting in shedding of leaves and nodes. Consequently the plant will die but the disease can easily spread into surrounding vines. No control measure has been identified other than destroying of the seriously diseased plants. Diseased and nearby plants should be burned at once. A chemical treatment can be done to control the spread. All matured leaves of the remaining vines should be removed and a chemical solution (mixture of 28g of copper based fungicide, 28g of Mancozeb and 28g of Captan dissolved in three gallons of water) should be sprayed once or twice to betel vines. The spread of disease can be controlled by lowering the application of chemical fertilizer and water for infected betel plots. Use of disease free planting material, use of an agro well or an isolated water source for irrigation and adhering to strict hygienic practices are important ways to avoid contamination. Occasional death of betel vines in a plot can be observed in some betel cultivations. The main reason for such situation is due to nematode attacks. Nematodes attack to root system cause partial destruction but secondary attacks of fungus and bacteria cause foot rot and destruction of root system causing consequently death (Sumanasena *et.al*, 2005).

### **Irrigation**

Sensitivity of betel to stagnant water is well known. It needs a moist soil, but not too wet. That is to say, it requires frequent but light irrigation all-round the year. The plantation has to be located near the source of irrigation, which may be a pond, or a tank, a canal, or an irrigation well. Frequencies of irrigation depend upon intensity of light and humidity of atmosphere. During the dry season it is irrigated almost every day in the new plant and weekly in the old plant. During rainy season usually no irrigation is done, unless there are adverse climatic conditions. Excess of irrigation causes decay of roots and falling of leaves. Irrigation in betel crop was given through sprinkler or pot. The pot method is very costly because of the intensive labour use it needs (Balsubrahmanyam, 1992).

## Harvesting

In about 6 months, vines grow to a height of 150-180 cm. At this stage branching is noticed in the vines. Harvesting starts when the betel vine is grown up to 1.2-1.8m in length. Initially matured leaves (*Kanda Kola*) are removed in lower parts of the main stem 2-3 times. After that betel leaves are harvested both from main stem and lateral stems. For the export market, betel is harvested in three weeks' intervals and for local market in two weeks' intervals. Harvested betel leaves are bundled each having 40 leaves before sending them to the market. For export market those bundles are packed in specially prepared cane baskets.

### 4.3 Economics of Export Betel Production

Cost items have been grouped under two subheadings i.e., variable cost and fixed cost. A detailed breakup of various cost components of betel production is presented in Table 4.1. The variable cost consists of the material used in the cultivation such as the fertilizer cost, plant protection cost, irrigation cost, inter-culturing cost, harvesting cost and packing cost. For evaluation of various cost items, we have assumed/estimated the following.

**Table 4.1: Various Cost Components of Betel Cultivation for One Year**

*(Rs. Per 1000 sticks)*

	<b>Particulars of Cost Heads Operational or Variable Cost</b>	Kurunegala N=120	Gampaha N=30	<b>Average of the Districts N=150</b>
1	Construction Cost of Betel Field	38,677	46,410	42,483
2	Land Preparation and Vine Transplanting	33,064	32,624	32,844
3	Fertilizer Application	26,210	30,796	28,503
4	Pesticides Application	8,062	10,196	9,129
5	Irrigation Charge	13,009	51,113	32,061
6	Weeding/Inter-Culturing	5,632	5,333	5,483
7	Harvesting and Crop Maintenance	9,675	8,177	8,926
8	Packing, Marketing and Transport	9,575	6,004	7,790
	<b>Total Cost</b>	143,904	190,530	167,217

Source: Survey data, 2013 (\*All **Operational or Variable Cost** include family labour)

#### 4.4 Various Cost Components of Export Betel

The per 1000 sticks variable cost, on average, amounts to Rs.167,217 which was worked out to be 100 per cent of the total cost in cultivation of export betel. The Agrarian Development Center wise expenditure on cultivation indicates that in all the four sampled area per 1000 sticks cost varied with the situational variations. In Kurunegala and Gampaha amongst the variable cost items per 1000 sticks such as the Construction Cost of Betel Field on average amounted to Rs.38,677.00 and Rs.46,410.00 respectively. Expenditure on Construction Cost of betel field was the highest in respect of all other expenditures, because it required various materials and a large number of labourers. Thus, Construction of betel field is a very costly item in the cultivation of betel crop. This structure is the prerequisite for cultivation of this crop because the crop is shade-loving and highly affected by weather conditions and air (wind) etc. The economic life of a betel field (1000 sticks) is about three years.

In the operations of land preparation and vine transplanting, generally lowering of betel vine is practiced. Expenditure in this operation varied from Rs.33,064.00 to Rs.32,624.00 in the districts – Kurunegala and Gampaha respectively. This operation constituted a higher amount of expenditure after the construction of land preparation and vine transplanting because it is the most important operation and highly labour intensive. Some farmers used machinery and others used labourers. Besides lowering the vine as one operation, it was one time expenditure in soil burning. It was equally important in the cultivation of the crop, and it is also labour intensive. Planting and covering has done at the same stage and planting is practised in morning and evening. Soon after planting, plants are covered with cadjans to protect from sun burning. But it takes a long time to find leaves for covering. However, the exact time taken was not recorded. Expenditure on fertilizer varied from Rs.26,210.00 to Rs.30,796.00 in the districts – Kurunegala and Gampaha respectively. The expenditure on pesticide application varied from Rs.8,062.00 and Rs.10,196.00 in the districts– Kurunegala and Gampaha respectively. There are numerous insecticides for the pests in the market. But pesticides are used when there is an outbreak of a pest attack.

Betel is mostly cultivated under irrigated conditions in both districts. Thus, irrigation was an important cost item in the cultivation of betel vine. The per 1000 stick expenditure on irrigation was found to have varied from Rs.13,009.00 and Rs.51,113.00 in the districts – Kurunegala and Gampaha respectively. The higher cost incurred in irrigation may be due to the electricity cost. Further, Diesel and Glycerin pumps are used in this application hence more cost is required. Thus, the cost of irrigation was found higher in both districts.

In the application of weeding/inter-culturing generally, lowering of vine is done at least three to five times a year. Expenditure in this operation varied from Rs.5,632.00 to Rs.5,333.00 in the districts – Kurunegala and Gampaha respectively. This operation constituted a low amount because of intensive work of family labourers. Besides

lowering the vine as one operation, which was equally important in the cultivation of the crop, was addition of soil at least twice a year, which is also a labour intensive operation. Thus, the expenditure on inter-culturing, and other operations supporting of vine was also incurred by the growers. Due to a large number of vines a good number of supporting materials are required.

Expenditure on harvesting and crop maintenance varied from Rs.9,675.00 to Rs.8,177.00, in the districts – Kurunegala and Gampaha respectively. The higher cost of harvesting may be due to its performance by labour and this practice requires a number of labourers.

Expenditure on packaging materials, marketing and maintenance of the harvested leaves varied from Rs.9,575.00 to Rs.6,004.00 in the districts Kurunegala and Gampaha respectively. It is also labour intensive.

The above analysis indicates that major items of expenditure in betel vine cultivation included construction cost of betel field, land preparation and vine transplanting (used machinery and some used labourers and soil burning), fertilizer and manure, agro chemicals, irrigation harvesting and packing. It is concluded from the analysis that betel though being labour intensive also requires very high capital in the production process. A detailed break-up of various cost components in percentage terms has been presented in Table 4.2 below.

**Table 4.2: Percentage of Various Cost Components of Betel Cultivation for a Year**

Particulars of Cost Heads	<i>(% /1000sticks)</i>		
	Kurunegala N=120	Gampaha N=30	Average of the Districts N=150
<b>Operational or Variable Cost</b>			
Construction Cost of Betel Field	26.87	24.29	25.41
Land Preparation and Vine Transplanting	22.97	17.12	19.64
Fertilizer Application	18.21	16.16	17.05
Pesticide Application	5.60	5.35	5.46
Irrigation Charge	9.04	26.82	19.17
Weeding/Inter-Culturing	3.91	2.79	3.28
Harvesting and Crop Maintenance	6.72	4.29	5.34
Packing, Marketing and Transport	6.65	3.15	4.66
<b>Total Cost</b>	100.00	100.00	100.00

Source: Survey data, 2013

Table 4.2 presents a detailed breakup of various cost components incurred in betel production in term of percentages. The percentage reveals that the variable cost constitutes about 100 per cent. Out of the total variable cost, major cost heads were identified as Construction Cost of Betel Field (25.41%), Land preparation and vine transplanting (19.64%) and irrigation charge (19.17%) and fertilizer application (17.05%) of the total cost. It may be concluded from the table that there were very marginal variations in both operational costs, in terms of percentage across the sampled districts. The reason for this may be the cost borne out in operational activities (particularly for construction cost of betel field, land preparation, irrigation charge fertilizer application) sharing major portion of costs involved in cultivation in almost all the study areas. Thus, the percentage variation in costs recorded was very negligible across the districts under the study.

The above various cost components only provide a broad idea about the pattern of expenditure in betel vine cultivation per 1000 sticks. It would be more interesting to probe further various items included and cost involved in different cost components studied and presented in Table 4.2. A detailed study has been made in respect of construction cost of betel field; land preparation, use of fertilizer, pesticides and irrigation in order to project a clear picture of the pattern of expenditure in different cost items included in these operations. The details are presented under following sub-headings.

#### 4.5 Construction Cost of Betel Field

The Table 4.3 depicts data on per 1000 stick cost for construction of betel field.

**Table No. 4.3: Construction Cost of Betel Field (One year)**

Items	<i>Rs./ 1000 sticks</i>		
	<b>Kurunegala N=120</b>	<b>Gampaha N=30</b>	<b>Total Avg. N=150</b>
Sticks	14933	17462	16197.5 (33.13)
Bamboo/Cross Stick	8321	7950	8135.5 (19.15)
Coconut Coir/ Rope	3423	4561	3992 (9.40)
Iron Wire	2000	2200	2100 (4.94)
Labour	10000	14114	12057 (28.38)
<b>Total</b>	<b>38677</b>	<b>46287</b>	<b>42,483 (100.00)</b>

Source: Survey data, 2013 (Note: Figures in parenthesis indicate percentage)

The Table 4.4 shows that the main item of expenditure was for sticks, which accounted for Rs.16197.5 (33.13%) on average and varied across the sampled district from Rs.14933.00 in Kurunegala to Rs.17462.00 in Gampaha. The next item was labour which accounted for Rs.12057.00 (28.38%) on average and varied from Rs.10000 in Kurunegala to Rs.14114.00 in Gampaha. The expenditure on Bamboo/Cross Stick (PANDALAM) on average was Rs.8135.00 (19.15%) followed by coconut coir/rope Rs.3992.00 (9.40%) and iron wire Rs.2100.00 (4.94%) The expenditure on above-mentioned items across the district was found very meager. Thus, the total expenditure in construction of betel field for growing per 1000 sticks of betel leaves was estimated to be Rs.42483.00 (100.00%). The district wise estimated expenditure in constructing a betel field was found to be Rs.38677.00 in Kurunegala and Rs.46287.00 in Gampaha. The variation in cost was due to location of sample area, its proximity to the town or the main road.

#### 4.6 Land Preparation

The cost incurred on different constituent items included in the preparation of land and planting vines is presented in Table 4.4.

**Table 4.4: Estimated Cost (Rs.) of Land Preparation (One year)**

Operation	Rs./ 1000 sticks		
	Kurunegala N=120	Gampaha N=30	Total Avg N=150
Ploughing of Land	12347	11037	11692
Soil Burning (soil treatment)	4248	6458	5353
Making of Pits	4587	3859	4223
Vine Planting	1823	1123	1473
Use of Insecticide	1521	2061	1791
Labour use in other Application	8538	8086	8312
Total	33064	32624	32844

Source: Survey data, 2013

The above table shows that breakdown of expenditure of sub-items of land preparation on ploughing of land, pits making, vine cuttings, transplanting, insecticide used and labour used for controlling insects and pests, soil treatment and etc. Total cost incurred was Rs.32844.00 on average per 1000 sticks out of the total cost, the Ploughing of Land Rs.11692.00 labour use in other application Rs.8312.00, Soil Burning Rs.5353.00, making of pits Rs.4223.00, Use of Insecticide Rs.1791.00 and Vine Planting Rs.1473.00. District-wise analysis indicated total expenditure in Kurunegala was recorded at Rs.33064.00 followed by Gampaha Rs.32624.00 The analysis further indicates that lower costs were borne by Gampaha and higher cost by Kurunegala. Thus significant variations in the cost were observed. Results of the Table 4.4 further indicates that across the two sample districts, there were nominal variations in expenditure on other given items except for

vine planting. In order to protect vines from diseases, vines were treated with Bordeaux mixture. This mixture also treats soils before the planting of vines but only in certain cases.

#### 4.7 Fertilizer Use in Betel Cultivation

The data related to fertilizer usage was taken in betel (Export *Kalubulath*) growing fields during the reference period of the study. The item-wise cost presented in Table 4.5 reveals that on average per 1000 sticks expenditure on fertilizer was estimated at Rs.28,503.00.

**Table 4.5: Fertilizer Use in Betel Cultivation**

Use of Fertilizer	<i>Rs./ 000 sticks</i>		
	Kurunegala N=120	Gampaha N=30	Total Avg N=150
Cow Dung	10034	11456	10745 (37.70)
Goat Manure	1761	3103	2432 (8.53)
Compost	1490	1796	1643 (5.76)
Chemical Fertilizer	7937	11139	9538 (33.46)
Labour Use	4988	3302	4145 (14.54)
<b>Total</b>	<b>26210</b>	<b>30796</b>	<b>28,503 (100.00)</b>

Source: Survey data, 2013

Out of the total, major expenditures were cow dung Rs.10,745.00 (37.70%) followed by chemical fertilizer Rs.9,538.00(33.46%), labour usage Rs.4,145.00 (14.54%), goat manure Rs.2,432.00 (8.53%) and compost Rs.1,643.00 (5.76%). The pattern of expenditure on these items of fertilizer was the same in the all four sampled areas. The total expenditure in Gampaha was estimated to be Rs.30,796.00, which was higher than in Kurunegala. It was Rs.26,210.00. The expenditure on the use of fertilizer was found more or less the same. The highest expenditure was on cow dung for all the sample villages.

#### 4.5.1 Fertilizer Usage by District

Type of Fertilizer	Kurunegala		Gampaha		Total	
	Amount N = 120	Percentage (%)	Amount N = 30	Percentage (%)	Amount N = 150	Percentage (%)
Compost	17	14	03	10	20	13.3
Organic manure*	59	49	11	37	70	46.6
Goat manure	28	23	02	07	30	20
Chemical Fertilizer	120	100	30	100	150	100
Cow Dung	105	18	24	80	129	86

\*Kenda/Keppetiyā/Glyricidia

Source: Survey data, 2013

#### 4.8 Fertilizer Usage

When studying about the betel production, another important factor is the fertilizer usage. Different fertilizer types were used in Kurunegala and Gampaha districts. All farmers (100%) used inorganic fertilizer and 13.3% of farmers used compost as a whole. Except the inorganic fertilizer, cow dung has also been used by 86% of farmers. There was a trend of using goat and poultry manure in Kurunegala district, but there was no such practice in Gampaha district.

In addition, 46.6% farmers apply leaf manure: keppetiyā and Giricidia (free) like green manure for betel cultivation. It is shown in Table 4.5.1. Betel farmers did not apply cow dung gathered in stock yards around Kurunegala and Gampaha areas for betel farming. Stocks in these areas are normally fed with coconut poonac and farmers believe that dung contains coconut oil, which transmits fungal diseases to betel vines. They use cow dung brought from dry zones areas such as Anuradhapua, Polonnaruwa and Vavniya, instead. It is rather expensive and increases the cost of betel production.

#### 4.9 Use of Insecticides and Pesticides in Betel Cultivation

**Table 4.6: Types of Insecticides and Pesticides Used in Betel Cultivation**

Insecticides	<i>Rs./ 1000 sticks</i>		
	Kurunegala N=120	Gampaha N=30	All avg N=150
Bliox	600	702	651 (07.13)
Carbafuran	3682	5050	4366 (47.82)
Calcium	3011	3431	3221 (35.25)
Other	413	499	456 (04.99)
Spraying charges	356	514	435 (04.76)
Total	8062	10196	9129 (100.00)

Source: Survey data, 2013

Insecticides are not used by most of the farmers as leaves are taken for “chewing”. Farmers move towards the use of insecticides when an outbreak of “Firefly” and *Kidewa* takes place. An attempt was made to work out different insecticides and pesticides for betel. The information received from the respondent sample growers regarding demand and use of pesticides commonly practiced by them is presented in Table 4.6. The above table shows that the growers commonly used five different types of insecticides and pesticides. The categories were Carbofuran, Calcium, Bliox, and Other. On average per hectare expenditure on insecticide use was estimated at Rs.9129.00 in which major expenditure was on Carbofuran Rs.4366.00 (47.82%) followed by Calcium Rs.3221.00 (35.25%), Bliox Rs.651.00 (7.13%), other Rs.158.45 (5.39%) and others Rs.456.00 (4.99%). The spraying charge was Rs.435.00 (4.76%).

The pattern of expenditure on insecticides was found almost same in all sample areas. The total expenditure in Gampaha was estimated at Rs.10196.00, which was the highest followed by Kurunegala Rs.8062.00. In the two sample districts the highest expenditure was observed in case of Carbofuran Rs.5050.00 in Gampaha districts. The second most used pesticide, which was generally used by the betel vine growers, was Calcium and its expenditure ranged between Rs.3431.00 in Gampaha to Rs.3011.00 in Kurunegala. The spraying of insecticides and pesticides was done manually, which was worked out on average of Rs.435.00. The highest charges were borne by Gampaha Rs.514.00 and the lowest by Kurunegala Rs.356.00. The above analysis, thus, concludes that there was little variation in insecticides used across the sample areas.

#### 4.10 Cost of Irrigation

Per 1000 stick cost of irrigation was worked out and presented in Table 4.7. In two districts the most common methods of irrigation were found in practice. One was Manual (pot method) and another was Power Water Pump. Details of the data analysis are presented in Table 4.7.

**Table 4.7: Cost of Irrigation**

District	<i>Rs./ 1000 sticks</i>		
	Manual	Power Water Pump	Total
Kurunegala N=120	15,066	59,778	37,422
Gampaha N=30	10,952	42,448	26,700
Total Avg N=150	13,009	51,113	32,061

Source: Survey data, 2013

The Table 4.5 shows that, the average per 1000 sticks irrigation cost was Rs.32061.00. Out of the total per 1000 sticks cost power-method of irrigation constituted a larger share of Rs.51113.00 and manual method a lower share of Rs.13009.00. District wise analysis revealed that the highest expenditure was in Kurunegala which was Rs.37422.00 and in the case of Gampaha it was Rs.26700.00. A higher expenditure was incurred in the power method and lower expenditure on the manual method. Due to larger dependence on diesel and electricity in the power method of irrigation the cost was very high, but it is interesting to note that the manual method of irrigation was also not cheaper because the high cost of labour and this method also took more time in irrigation. Though, the manual method of irrigation was proved most effective technically, very few growers were found resorting to this method of irrigation. The growers in the sampled areas, found irrigation by power method more popular and acceptable. Due to its ready availability and efficiency this method was commonly used by the growers. The growers have reported that due to high cost of labour and inconvenience in bringing water on head from tank, ponds, wells and river this practice has become less common at present.

**Table 4.8: Irrigation Use by District**

<b>District</b>	<b>Manual</b>	<b>Power Water Pump</b>	<b>Total</b>
Kurunegala N=120	11(9.16)	109 (90.83)	120
Gampaha N=30	6(20.00)	24(80.00)	30
Total N=150	17	133 (88.66)	150

Source: Survey data, 2013

Two types of watering are used in Kurunegala and Gampaha districts. It was found that 90.83% of the respondents used power water pump whereas 80.00% of the farmers used manual irrigation generally. The manual method of irrigation was proved most effective technically but a very few growers have resorted to this method of watering in Kurunegala (9.16%) and Gampaha (20%). When studying about the betel production another important fact is the mode of watering. Two types were used in the Kurunegala and Gampaha districts. The highest number of farmers (90.83%) use the power water pump and 80.00% of the farmers used manual watering as a whole.

#### **4.11 Employment Pattern in Betel Cultivation**

The analysis of employment pattern in betel vine cultivation forms an important part of the study. The pattern of employment in cultivation of betel vine under following heads has been found.

- i. Operational Farm and Family Size of the Sampled Growers
- ii. Utilization of Family and Hired Labour

#### **4.12 Farm and Family Size of the Sampled Growers**

The village wise operational farm and size of the family were worked out and presented in Table 4.9:

**Table 4.9: Operational Holding and Size of Family (Per Farm)**

District	Name of A.D.C.	Betel stick Average	Average Family Size
<b>Kurunegala</b> <b>N=120</b>	Kuliyapitiya	1600	5.45
	Kitalawela	1200	4.25
	Yakwila	1500	5.15
	Digalla	1400	4.88
	Alawwa	1100	3.87
<b>Kurunegala Avg</b>		<b><u>1360</u></b>	<b><u>4.72</u></b>
Gampaha N=30	Maradaghamula	1300	4.66
	Udugampola	1400	4.75
	Mirigama	1100	3.44
<b>Gampaha Avg.</b>		<b><u>1266.7</u></b>	<b><u>4.28</u></b>
<b>Kur+Gam/2*</b>		1313.35	4.5

Source: Survey data, 2013 (Kur+Gam/2\* = Total average all areas N=150)

Table 4.9 indicates that size of farm holding an average of 1313.35 sticks. The A.D.C. wise analysis indicates that the average size of holding was the largest in Kuliyapitiya (1600 sticks), followed by Yakwila (1500 sticks), Maradaghamula (1300 sticks) and Kitalawala (1200 sticks). It means across the sample villages, the average size of betel holding, ranged between 1100 ha to 1600 sticks which is very small in size. The table further indicates that on average the family size was 4.5. The family size among the four A.C areas was found to be the largest in Kuliyapitiya (5.45), followed by Yakwila (5.15), Digalla (4.88), Udugampola (4.75), Maradaghamula (4.66) and Kitalawela (4.25) respectively. The analysis indicates a positive correlation between the size of operational holdings and the size of the corresponding family. In other words, as the size of holdings in betel cultivation increases, the family size of growers also increases. It is since betel is capital as well as a labour intensive crop. Consequently, betel farmers did prefer a large family so as to ensure a sufficient labour supply.

#### **4.13 Utilization of Total Labour, Family Labour and Hired Labour**

The analysis of family and hired labour utilization has been done and presented in Table 4.10.

**Table 4.10: Family and Hired Labour per 1000 Sticks of Betel**

District	(In Number)		
	Total Labour Used	Family Labour	Hired Labour
Kurunegala N=120	621 (100)	494 (79.54)	127(20.46)
Gampaha N=30	632 (100)	421(66.61)	211(33.39)
Total Avg. N=150	626 (100)	457(73.01)	169(26.99)


Source: Survey data, 2013

Table 4.10 indicates that average per hectare labour utilization in the cultivation of betel was 626 man-days. Out of the total labour utilization the share of family labour was 457 (73.01%) and hired labour was 169 (26.99%). The analysis of district wise utilization of labour shows that it was the highest in Gampaha (632) followed by Kurunegala (621). The utilization of family labour across the villages reveals that the highest utilization of family labour was found in Kurunegala 494 (79.54%), followed by Gampaha 421 (66.61). In the case of hired labour utilization, Gampaha was found to have employed the highest number of labour, i.e., 211 followed by Kurunegala (20.46). The analysis reveals that the share of family labour in total utilization of labour in the cultivation of betel was found much higher in almost all the sample areas which might be since the growers mostly used family labour in almost every activity from production to marketing. The hired labour was easily available in the village. However, they preferred to work in the betel field.

From the above analysis, it is clear that in betel cultivation male workers were employed in large numbers in various operations as compared to female workers for economic and large for social reasons. The lower percentage of female participation in cultivation of betel in the sample areas of Kurunegala district was due to the interesting fact that the place of betel cultivation, i.e., '*Bulath Kotuwa*' is considered to be a sacred place. The entry of females to the betel field is believed to be an act of violation the sanctity of the place, tied up with the belief of the conservative folk society that the 'woman is impure'. Therefore farmers believe that such entry would cause betel leaves to dry up. The myth also prevailed in the sample area of Kurunegala district, but '*BULATH GOVISAMAJAYA*' (Betel growers' society) of Gampaha district was not strongly opposed to women's entry to the '*BULATH KOTUWA*' (Betel field). The above belief is the main reason for the less participation of females in the study area.

#### **4.14 Cost of Production and Income of Export Betel Crop**

In Kurunegala district, Kuliypitiya betel fair is generally held thrice a week. In the period of surveying from June to August the average value of 1000 export *Pidunu* (blossomed) betel was Rs.2,500.00.



**Figure 4.1: Average Price of Export Betel (1000 Leaves) at Kuliypitiya Fair from 2<sup>nd</sup> June to 25<sup>th</sup> August 2013**

The cost of production of betel is an important aspect of farm economy both for its growers, as well as from the national point of view. For the individual farmer it helps him properly manage his scarce resources for getting maximum returns and from the national point of view it provides insights to the policymakers in formulating the policy, both for inputs as well as for the produce. This estimate of expenditure and income and findings have been presented in Table 4.11.

**Table 4.11: Total Expenditure and Production of Export Betel**

Item	(Rs. 1000 sticks)		
	Kurunegala N=120	Gampaha N=30	Total Area Avg. N=150
Total Expenditure	185,541	148,893	167,217
Total Production of Betel Leaves Avg. 1 Month	25,500	23,300	24,400
Cost of Production per Leaves *20,000 1 Month	8,309	5,165	7,761

(Cost of Production per 20,000 leaves per Month (1000 sticks))

Source: Survey data, 2013

The above Table 4.11 shows the total expenditure (both variable and fixed) incurred on average as Rs.167,217.00 and the total production of betel leaves per hectare and the cost of production per 20,000 leaves, on average, was Rs.24,400.00 and Rs.7,761.00 respectively. The district-wise data indicates that the total expenditure was found to be Rs.185,541.00 in Kurunegala, higher than in Gampaha where it was estimated to be Rs.148,893.00. The analysis also showed that higher expenditure led to higher production of betel leaves. In Kurunegala the total production was 25500 of betel

leaves, which was higher than in Gampaha. The cost of production per 10,000 betel leaves was higher in the case of Kurunegala (Rs.8,309.00) followed by Gampaha (Rs.5,165.00).

#### 4.15 Maintenance Cost for Betel per Month

**Table 4.12: Maintenance Cost for 1000 Sticks per Month**

*(Rs. per 1000 sticks)*

Input Cost		Kurunegala N = 120 Expenditure (Rs.)	Gampaha N = 30 Expenditure (Rs.)	Total Expenditure (Rs.)
Organic Fertilizer	4 times per year	203	215	209
Chemical Fertilizer	2 times per month	1103	1007	1083
Weedicide	1 time per month	224	300	234
Insecticide	1 time per month	241	199	238
Water usage (kerosene motors)	15 times per month	2600	1592	2456
Transportation	2 times per month	393	227	362
Labour	7 man days	3545	1626	2584.5
Total		8309	5165	7761.5

Source: Survey data, 2013

According to the above Table 4.12 maintenance input cost for 100 poles for a farmer who uses kerosene motor fluctuates in the following manner. Kurunegala district Rs.8,309.00, Gampaha district Rs.5,165.00 and the average in both districts Rs.7,761.50. However, the monthly input cost of a farmer who used electrical motor was lower than above values, since the farmers have to bear a higher cost for kerosene. Above labour cost and monthly input cost are considered when calculating the monthly cost per 1000 sticks.

#### 4.16 Time Taken for the First Harvest

Table 4.13 shows the time taken for reaping the first harvest of betel cultivation from the beginning. Majority of farmers in both districts take 6 months for the first harvest. When considering the whole sample, 71.33% farmers take 7 months. A very few number (10%), received their first harvest in less than five months. Accordingly the highest percentage of farmers reaps their 1<sup>st</sup> harvest in six months.

**Table 4.13: Time Taken for Harvest**

Time (Month)	Kurunegala N= 120		Gampaha N= 30		Total N= 150	
	Number	Percentage	Number	Percentage	Number	Percentage
<=3	2	1.67	0	0.00	2	1.33
4	6	5.00	0	0.00	6	4.00
5	12	10.00	3	10.00	15	10.00
6	85	70.83	22	73.33	107	71.33
7<=	15	12.50	5	16.67	20	13.33
Total	120	100.00	30	100.00	150	100.00

Source: Survey data, 2013

#### 4.17 Year Wise Cost Breakup

The Table 4.14 reveals that out of the total expenditure about 40.20% was spent during the 1st year and the rest was spent in four consecutive years. Likewise the total income from the investment was only 37.04 per cent. Thus a loss occurred during the 1st year, which was Rs.20817.00. The data further indicates that after the 1st year, the expenditure over income was lesser and the profit showed an increase year after year while in 4th year, the profit was similar to that of the 2nd year. This occurred due to full exploitation of the resources. The overall analysis indicates that in 4-years, around Rs.552,517 was earned as net profit from this venture. Thus, this is a viable enterprise for the producers.

**Table 4.14: Year Wise Estimated Breakup of Cost Involved in Betel Cultivation (1 to 4 Years)**

Year	<i>(Rs. per 1000 sticks)</i>			
	Total Expenditure	Total Income	Loss	Profit
1 <sup>st</sup>	167,217 (40.2)	146400*(37.040)	20817	
2 <sup>nd</sup>	73138 (17.5)	213533 (18.51)	-----	140395
3 <sup>th</sup>	93138 (22.3)	276328 (23.57)		183190
4 <sup>th</sup>	82524 (19.8)	311456 (20.88)		228932
Avg	416017 (100)	395200 (100.00)	20817	552517**

\*Harvest after 6 months' Income (\*\*Total Average of Profit and Loss)

Note: Figures in parenthesis indicate percentage.

Source: Survey data, 2013

Data from a group of five farmers of both Districts

#### 4.18 Economic Efficiency of Betel Production

In this part of analysis, a number of profit measures have been dealt with. These profit measures: net income, farm business income, farm investment income and return on working capital are presented under sub-headings.

#### 4.19 Gross Income and Net Return

The gross income is the value of total output and net income is the value of differences between total revenue minus the total cost. The calculated data has been presented in Table 4.15.

**Table 4.15: Estimated Gross Income and Net Return per 1000 Sticks**

Per 1000 Sticks (One year and six months)

District	Gross Income	Total Expenditure	Net Return
Kurunegala - N=120	276321	185541	90780
Gampaha - N=30	242543	148893	93650
Total Avg - N=150	259432	167217	92215

Source: Survey data, 2013

The Table 4.15 indicates the per hectare gross income per 1000 sticks. The average was estimated to be at Rs.259,432.00. It varied from Rs.276,321.00 in Kurunegala to Rs.242,543.00 in Gampaha. A comparatively higher gross income was found in the case of Kurunegala district sample villages than that of the Gampaha district. The main reason behind this was the Kurunegala town is situated on the main Pola (fair) connecting Kuliyaipitiya, Narammala and Kadanegedara the capital town of the area, thus, growers used to receive good prices for their produce. The table further indicates that the total expenditure of all sample area farms was found to be Rs.167,217.00 which varied from Rs.185,541.00 and Rs.148,893.00 in Kurunegala and Gampaha respectively. It can be observed that on all farms area per 1000 sticks net return amounted to Rs.92,215.00 which varied from Rs.90,780.00 and Rs.93,650.00 in Kurunegala and Gampaha respectively. The higher net return was observed in the case of Gampaha, where gross incomes as well as total expenditure were also turned out to be higher. This is mainly due to better accessibility to the market.

#### 4.20 Return on Working Capital

Return per hundred rupees investment on working expenses is an important measure of farm profit specially the crop requiring higher expenses capital investment. This analysis helps provide a guideline to the grower for reallocating the farm resources for maximizing the profit. Return on expenses capital is obtained by dividing the net income by working capital expressed in percentage. The percentage return on expressed capital has been worked out and presented under Table 4.16:

**Table 4.16: Percentage Return on Working Capital by District**

per 1000 Sticks

District	Net Income Rs	Expenses Rs	Percentage Return on Expenses
Kurunegala N=120	90,780	185,541	48.92
Gampaha N=30	93,650	148,893	62.89
Average N=150	92,215	167,217	55.14

Source: Survey data, 2013

It may be observed from the Table 4.16 that the average percentage return on working capital was Rs.55.14. The village wise analysis indicates that in Gampaha 62.89 which was Rs.48.92 higher in terms of percentage return on expenses capital. The higher percentage of return on expenses capital may be due to higher net income in the sample village farms.

#### 4.21 Capital Output Ratio

Capital output ratio shows the efficiency of investment on farm and the income thus obtained. The capital output ratio has been worked out by dividing the gross income by total cost (both variable & fixed). The calculated result has been presented in Table 4.17.

**Table 4.17: Per Capital Output Ratio**

District	Gross Income	Total Cost	Per 1000 Sticks
			Capital Output Ratio
Kurunegala N=120	276321	185541	1: 1.48
Gampaha N=30	242543	148893	1: 1.63
Total Avg N=150	259432	167217	1. 1.55

Source: Survey data, 2013

The Table 4.17 shows that on average the capital output ratio was 1:1.55. The village wise results indicated that growers in Gampaha obtained more income per unit of capital investment (1:1.63) followed by Kurunegala (1:1.48). The table also indicates that per unit of capital investment was higher in case of Gampaha district sample village farms as compared to those of Kurunegala district. Thus, this analysis established a relationship that the A.C area where per unit of capital investment is higher, the incomes were also found to be correspondingly higher. The above analysis concludes that in betel production the gross income is a result of various input factors such as land, labour, cost cutting, fertilizer, plant protection and irrigation. Variations in the level of these inputs directly affect the gross income. Each respondent individually decide how to use and the usage of these inputs. Thus, the cost and return vary with the variations of farms. In betel production, it was found that irrigation, plant protection, fertilizer and labour were the most important factors of production, which influence betel production in the districts. It was also found that the farmers lacked awareness and knowledge with respect to techniques of utilizing various inputs in appropriate combination and at appropriate time. Inadequacy of capital on the part of the farmers also acts as a serious inhibiting factor in the way of optimum utilization of resources.

## CHAPTER FIVE

### Marketing of Betel

#### 5.1 Introduction

Any production does not become economic until it reaches the consumers and the producers get their share out of consumer's rupee which is worth the utility of his product. In this chapter, an attempt has been made to analyze the existing export marketing (Only Pakistan) system of betel product, producer's share in consumer's rupee and marketing margins of various agencies involved in different marketing channels, price spread, marketing costs, and the farmer views and suggestions for establishing a main trade centre for exporting etc. The analysis is based on the information collected from the sample respondents.

#### 5.2 Marketing Costs and Margins

The study of price spread in marketing of cash crops is important for various reasons. In order to produce more; farmers are required to invest more on inputs, which largely depend on the gain to the farming community. The main reason for a comparatively lower price obtained by the growers and higher prices paid by the consumers is due to the existence of a large number of market intermediaries resulting in a higher amount of gross marketing margins among different players. The gross marketing margin refers to the difference between the price paid by the ultimate consumers and the price received by the producers. The gross marketing margin consists of margin of various intermediaries engaged in moving the produce from the point of production to the ultimate consumers and also the marketing cost involved in the scrutiny, packaging, grading, processing, transportation, spoilage, processing as practised in a few cases and other handling activities. The term "marketing margins" refers to difference in price received and price paid for a commodity at different stages of the marketing system. The normal high marketing margin is an indicator of the efficiency of the marketing system. The large value of marketing margins is indicative of an inefficient marketing system. On the other hand, if the produce moves from the producer to the ultimate consumer at a minimum cost, the marketing system is said to be more efficient.

For calculation of the price spread, concurrent margin method was used for the purpose. The marketing margin varies on the length and type of channels through which the produce passes on to the final consumer. The important marketing channels were therefore, identified and price spread has been calculated for the major identified channels of betel marketing in both districts.

### 5.3 Export Marketing Channels

The Important channels of betel marketing are given below:

1. Grower/Producer → Export Wholesaler (Local buyer Only One) → Export to Pakistan
2. Grower/Producer → Local Wholesaler (POLA) → Pakistan Wholesaler → Export to Pakistan
3. Grower/Producer → Local Wholesalers (POLA) → Export Pakistan

As per the information collected from the sample growers during the field survey it was observed that in both districts, growers were found using three above mentioned important channels through which they dispose of their produce. The proportion of the produce marketed channel wise has been presented in Table 5.1

**Table 5.1: Pattern of Betel by Channel**

	(in %)		
District	1. Channel	2. Channel	3. Channel
Kurunegala N=120	59.23%	04.17%	36.60%
Gampaha N=30	92.48%	02.44%	05.08%
Average N=150	78.85%	03.31%	20.84%

Source: Survey data, 2013

The table 5.1 reveals that at overall level about 78.85 per cent of the betel produced (leaf) by the respondent were sold to local traders through channel -1. It means channel - I was identified as the most important channel through which bulk of the produce is passed (This buyer stays in Gampaha Baduragoda). District wise breakup indicated that Gampaha (92.48%) made the highest disposal through this channel followed by Kurunegala (59.23%). It was observed that in sample District of Gampaha, betel growers were using this channel comparatively less than Kurunegala sample growers. It might be due to various unexplained reasons such as, distance of market, nature of and interest rates on loan facilities provided by the intermediaries. This may be due to the fact that Kurunegala district sample areas were more distant from the betel farmer and majority of growers took assistance in cash or kind through the local traders. But export betel fetched a low price.

**Table 5.2: The Time of Payment for Farmers**

Time when they are paid	Kurunegala		Gampaha		Total Avg.	
	Growers N=120	%	Growers N=30	%	Growers N=150	%
Time of Bargaining	63	52.5	29	96.7	92	61.3
After Sale	57	47.5	1	3.3	58	38.7
Total	120	100	30	100	150	100

Source: Survey data, 2013

The attention was also paid to the time of payment for the farmers, whether at the time of the bargain or after the bargain through different trade methods. It was revealed that 61.3% of the total sample receives their money at the time of the bargain. According (Table 5.2) to the districts, it was as higher as 96.7% in Gampaha district and it was very less in Kurunegala district.

#### 5.4 Price Spread of Export Betel

In the marketing of commodities, the difference between the price paid by consumer and the price received by the producer for an equivalent quantity of farm produce is known as price spread. It is also termed as marketing margin. The price spread of the produce marketed through different channels in the selected district is presented in Table 5.3.

Table 5.3 reveals that price received by the grower per 10,000 of betel was higher in channel –3 (79.91 %). It was higher than both the channels. The situation may be due to producers acting as producer sellers themselves and sold their produce in the market and received a higher profit margin. In channel – 2 and channel – 1 the producer’s share in Pakistan Wholesalers Purchase Price rupee was 79.91 per cent and 75.43 per cent respectively. In these channels the producer’s share in consumer’s rupee was also greater than 73.46, which might be due to in both channel - 1 and 2, the produce being disposed of at the village level itself. The table further indicates that the retailer’s margin of profit was higher at 15.65 per cent in case of channel – 2 (Buyer from Pakistan). In this channel a higher retailer’s margin of profit was recorded because retailers had directly purchased the produce from the growers. In channel – 1 and 3, the retailer’s margins of profit was found to be 12.78 and 11.6 per cent. In both the channels the retailer’s margin was less because they purchased the produce after a long chain of price spread and thus profit margin gets lower down. It is also apparent from the table that the price per 10,000 leaves of betel received by the producer was Rs.23,000.00 in channel- 1; Rs.24101.00 in channel –2 and Rs.24,101.00 in channel – 3. The marketing costs incurred by the growers/local traders/retailers were Rs.12.78 in channel – 3 and Rs.15.65 in channel – 1 & 2. The profit margin of local trader was Rs.11.6 in channel – 3.

**Table 5.3: Price Spread per 10,000 Leaves of Betel Through Various Marketing Channels**

	<b>Particulars</b>	<b>Channel-1</b>	<b>Channel-2</b>	<b>Channel 3</b>
1	Price Received by Growers or Local Purchasing Price	23,000.00 (73.46)		
	Marketing Cost Incurred by Growers/Export	30.00 (0.10)		
	Packing Charge	120.00 (0.38)		
	Loading and Unloading Charge	220.00 (0.70)		
	Local Transport Charge to Airport	210.00 (0.67)		
	Grading and Packing (Export Basket)	321.00 (1.03)		
	Other Labour Charge	200.00 (0.64)		
	Transport Charge Airport to Pakistan	3,210.00 (10.25)		
	Trader's Profit Margin (Gampaha)	<u>4,000.00</u> (12.78)		
2	<i>Local Trader Selling Price Wholesalers (export)</i> <i>Purchase price (Pakistan Wholesaler)</i>		24,101.00 (75.43)	
	<i>Market Fee</i>		30.00 (0.09)	
	<i>Labour Charge</i>		20.00 (0.06)	
	<i>Grading and Packing</i>		300.00 (0.94)	
	<i>Transport Charge Air port to Pakistan</i>		2,500.00 (7.82)	
	<i>Export Profit Margin(Pakistan Wholesaler)</i>		<u>5,000.00</u> (15.65)	
3	Local Trader Selling Price Wholesalers (export) Purchasing price (POLA)			24,101.00 (79.91)
	Market Fee			30.00 (0.10)
	Labour Charge			20.00 (0.07)
	Grading and Packing			210.00 (0.70)
	Transport Charge Airport to Pakistan			2,300.00 (7.63)
	Local Wholesalers(POLA) Export Profit			3,500.00 (11.60)
	Pakistan Wholesalers Purchasing Price	31,311.00 (100.00)	31,951.00 (100.00)	30,161.00 (100.00)

Source: Survey data, 2013

\*Channel 1 (78.00%) buys only one export buyer

\* Channel 2 (3.31%) buys 3 buyers from Pakistan

## 5.5 Establishment of Betel Export Trade Center

In this study attention goes to the preference for the establishment of the trade centre for betel and also the facilities that should be established. Accordingly 81.3% of the respondents were positive on the establishment of a new export trade centre for betel while 18.7% did not agree to that.

**Table 5.4: Agreement on Establishing a Betel Export Trade Center**

Response	Kurunegala		Gampaha		Total Avg.	
	Number N=120	%	Number N=30	%	Number N=150	%
Agree	102	85	20	66.7	122	81.3
Disagree	18	15	10	33.3	28	18.7
Total	120	100	30	100	150	100

Source: Survey data, 2013,

## 5.6 Betel Marketing Functional Approach

Farmers harvest betel at 21 days intervals for the export market and leaves are sorted into the categories using those dimensions and other factors such as crispiness and the dark green colour by their experience (Sumanasena, 2005). The farm gate/local market selling prices of the betel leaves are based on the above grouping. Betel leaves are the sole marketable product of betel cultivation. The leaf weight of betel (in grams) is also one of the important parameters, as the selling price of export quality leaves are indirectly associated with it. Even though farm gate sales are decided on the number of leaves having the dark-green colour and brittleness, the real quality of *Kalu Bulath* is at export level. For example, a basket of 9 kg having 25-28 bundles (*A sheaf* of 40 leaves) is considered as the best quality in comparison to a basket of 9 kg with 35-40 bundles.

There were buyers who purchased betel leaves for consumption, the second category of buyers were the intermediaries, i.e., between the producer and the export wholesaler, and the third category was the wholesaler, who demanded betel for mostly interstate Pakistan buyers, such as from Kuliypitiya, Kadanegedara, Narammala, and Alawwa areas. The channels of direct marketing were acceptable to both the producers and the Pakistan exporter. No middlemen or market functionaries were involved. It is true that an efficient marketing system is vital for encouraging the growers who are involved in betel production. The commercial production of betel calls for the development of marketing system with efficient handling and storage. The organized market functionaries and export marketing channels are considered useful in developing a clear understanding of the relationship between different market functionaries. It is also a fact that marketing of betel leaves is complicated because of its perishable nature. In the case of this crop, the prices rise steeply during the period of their short supply and fall sharply during the period of excess supply. It was observed that by and large, the

markets of betel in Kurunegala had been encompassed in a vicious circle of trading practices. The fact is that the traders control and regulate the business of this crop. The traders were wealthy and took the growers into their hold and compelled to sell their produce at a price fixed by the traders, which generally is much lower than the market prices, and the growers were, thus, deprived of a fair return. Such unscrupulous market practices were the root cause of poor economic condition of the betel growers. In the case of price spread, it was observed that there were wide variations of price received by the growers and the price paid by the final Pakistan buyers. This is mainly due to the margin enjoyed by the market functionaries, middlemen and the costs involved in secondary activities such as grading, packing, transportation, storage, handling and labour changes and market charge. Various costs involved at different levels of market functionaries and commission of the traders had, in fact, inflated the Pakistan money. Thus, a major share of Pakistan money is cornered by different market functionaries and a considerable part was found involved in the form of various service charges and marketing costs. For reducing marketing margin by eliminating middlemen, it could be suggested that the growers were, in general, unorganized and they did not make any group in the form of self-help. Betel marketing system must be improved to encourage the betel growers for higher production by undertaking larger areas under the crop such as Dedicated Economic Centers (DECs) for betel export market.

## CHAPTER SIX

### The Constraints Faced By the Betel Growers

#### 6.1 Introduction

This chapter analyses the constraints faced by the betel growers. The selected growers were asked to indicate the constraints through a suitably designed schedule. Garrett's Ranking Technique has been applied to analyze the primary data. Information collected by interviewing the selected 150 growers was tabulated to identify the most important constraints of betel production in the sample areas. These were categorized into two broad categories i.e., agro-biological constraints and economic constraints. The agro-biological constraints included severity of diseases, rain, pests, winds, non-availability of improved vine cuttings and technique of preserving highly perishable betel leaves. The economic constraints included inadequacy of capital, high cost of construction of betel field, high cost of labour, high irrigation cost, high cost of vine cutting, high fertilizer and insecticide cost, inadequate market facilities and adverse price fluctuation.

#### 6.2 Constraints in the Production of Betel

The collected data was analyzed and average rank of all the identified constraints was determined and presented in Table 6.1. From the table it may be observed that under biological constraints growers reported a higher rank in case of severity of disease, which is the major problem in the production of betel as reported by growers. The first place is the pest and diseases according to Garrett's Ranking technique. Therefore a large amount of betel beds are completely destroyed. There is no treatment for leaf blight, betel disease. Betel cannot be cultivated in the diseased area for another 3,4 years and due to this situation income from the betel has completely collapsed. Not only the major disease leaf blight (Mahesha, 2009), but also other pest damages and diseases have caused a less quality and a less harvest of betel. In both districts almost 98 per cent growers were using their own traditional planting material for long. Most of the farmers are growing the crop using their indigenous knowledge, skills and their past experiences. They have no awareness regarding the improved method of cultivation.

**Table 6.1: Agro-Biological Factors Limiting Production**

$$\text{Present position} = \frac{100(R_{ij}-0.5)}{N_j}$$

Constraints	Total Score	Mean Score	Rank
Severity of pests and diseases	6479	68.29	1
Inadequacy of water	4842	45.33	2
Non-availability of good planting materials	4450	43.44	3
High perishability of leaves	4323	41.23	4
Severity of winds	2311	21.78	5

Source: Survey data, 2013

Where  $R_{ij}$  - rank given for  $i$ -th factor by  $j$ -th individual  $N_j$ -number of factors ranked by  $j$ -th individual. (*\*Garrett's Ranking Technique* )

The table further indicates that the most stated constraint reported by the growers was severity of pests in betel crop. Majority of growers reported that they did not know the specific pests and pesticides. On the recommendations of the local pesticides/ insecticides sellers, they were using these chemicals on their field, which were generally not so effective.

The 4<sup>th</sup> main constraint reported by growers was high perishability of the leaves. Farmers complained that due to non-availability of leaf treatment and scientific packaging facilities at the village level, a good percentage of their produce was wasted. The other major constraints include wind severity and cold waves. It is worth noting that due to use of indigenous cuttings by majority of the growers, the yield levels of different growers do not differ significantly. So water supply was given the last rank.

### 6.3 Economic and Institutional Factors

The economic and institutional factors limiting production were listed as (1)Inadequacy of credit (2)High cost of labour (3) High Cost of field Construction (4) High cost of Irrigation (5) High cost of pesticides (6) Inadequate market (7) Fluctuations of Price. The respondents were asked to rank the five factors and the ranks given by the respondents are given in Table 6.2

**Table 6.2: Cost of Input and Institutional Factors Limiting Production**

$$\text{Present position} = \frac{100(R_{ij}-0.5)}{N_j}$$

Constraints	Total Score	Mean Score	Rank
Inadequacy of Credit	10290	68.6	1
High Cost of Labour	9313	62.09	2
High Cost of Stick and Lack (Field Construction)	8790	58.6	3
High Irrigation Cost	7813	52.09	4
High Cost of Fertilizer	7366	49.11	5
Inadequate Marketing Facilities	7086	47.24	6
Fluctuations of Price	6180	41.2	7

Source: Survey data, 2013 (*\*Garrett's Ranking Technique*)

As seen from the table, inadequacy of credit was ranked by the respondents as the most pressing problem among economic and institutional factors. The betel crop required heavy capital investment, so credit availability attracts the attention of the cultivators more. During the course of investigation, it was reported that in both districts not a

single sample grower obtained a crop loan from the institutional agencies for cultivation of this crop. Majority of the respondents reported that they obtained loans for cultivating this crop from non-institutional agencies, such as traders, middlemen, neighbour, friends and others who exploit them by charging high interests or offering low prices for their products after harvesting. Middlemen/traders, who provide loans to the growers against the advanced sale of their products, usually offer a price much below the prevalent market price. Such practice is detrimental to their economic interest.

The second rank was given to high cost of labour. The betel cultivation is highly labour intensive. The betel crop requires skilled and unskilled labour in large numbers and the labour cost for skilled labour was high and this was the problem faced by the farmers. The third rank was the high betel field construction cost. According to the Garrett's Ranking Technique the second place is lack of betel supports and high cost for them. For example, a support of 2" radius with 6 -1/2' length is about Rs.17-20. If such types of 1000 supports are bought, farmers have to spend Rs.17,000 - 20,000. Therefore, it has become a huge problem for the farmers. Although the betel supports were purchased, there was a scarcity due to obtaining licenses to transport betel support sticks. So farmers have to visit district officers of the Department of Forest, which is a time wasting activity.

The betel crop required heavy doses of fertilizer, so even a slight rise in fertilizer price affected the farmers severely. According to the ranking, the 4<sup>th</sup> place is the lack of fertilizer. Farmers use 100% organic manure and cow dung for land preparation. However, they have to buy 250-350 kg (cubic feet 100-130) of cow dung from lorry traders at Kuliypitiya fair and Kande Gedara fair. The cost of manure is Rs.17,000 – 20,000. Higher cost of manure and difficulty in finding fertilizer at the correct time are the other problems faced by the farmers. Betel farmers use inorganic fertilizer at 3 weeks intervals, but supply of these inorganic fertilizer also falls short from time to time. Therefore, the lack of fertilizer affects a good yield for farmers.

The fourth rank is the cost and lack of water, according to the Garrett's ranking of bête. Farmers are highly affected by water problems during June, July and August. Due to the short supply, farmers use water pumps by using electric power. Thus they have to spend much on electricity, which leads to an increase in the cost of production. Lack of water causes the size of the betel leaf to be small and a reduction in harvest. As a result, farmers have to sell betel at lower prices.

The fifth rank was given to the unfavorable market condition, indicating that the farmers were more worried about conditions of production than about marketing condition. The fourth place took for grading of the betel leaves. As previously mentioned, the betel leaves are graded as *Large Peedunu Kola*, *Small Peedunu Kola*, *Large Kanda kola* and *Small Kanda kola*. Sometimes they categorized the leaves according to the weights, they priced the higher weighted betel leaves at higher prices

and the other lower weights at lower prices. The colour is another criterion they used to determine the price. The deep green coloured *Kalubulath* and high water contained leaves are sold at a higher price.

#### Case Study of Betel Producers

Gaiyala, a farmer in Kurunegala district was asked about betel leaf spot disease. According to him, "it does not need a treatment, it should remain." When asked about the reasons he further added "If treatments are found for this disease, it will be the end of our income. If this disease is eliminated every one would cultivate betel in large scale, then we can't sell our betel, at least for 50 cents, that is why we do not want remedies for this disease, this disease protects most of the small scale betel farmers". His opinion reflects the perception of most of the small scale betel farmers.

When talking about the problems arising at sale it was found that most of the large scale export betel buyers are in Banduragoda in Gampaha district. Most of the farmers said, selling betel to Mr. Banduragoda (A person in Banduragoda area) is an easy task and, they receive money on the spot. Therefore most of the farmers prefer to sell betel to Mr. Banduragoda. The betel buyer helps both farming and family economic activities of the farmers.

#### **6.4 Constraints in the Problems in Marketing of Export Quality Betel**

For the purpose of the study, the problems in marketing were listed as (1) transport (2) too many middlemen (3) absence of grading (4) fluctuating price and (5) inadequacy of finance. The respondents were asked to rank the factors and the ranks given by them are presented in Table 6.3.

It is well known that betel leaf is a highly perishable commodity and does not last long. As such, it has very low endurance level in the adverse weather. At the same time, even a little damage to leaves of betel makes it defective leading to a reduction in demand. Consequently its price declines sharply. Hence, it causes a marketing problem at an alarming scale. The marketing constraints faced by respondents are shown below.

**Table 6.3: The Problems in Marketing of Export Betel**

$$\text{Present position} = \frac{100(R_{ij}-0.5)}{N_j}$$

Constraints	Total Score	Mean Score	Rank
Fluctuating price	9270	61.8	1
Too many middlemen	8775	58.5	2
Inadequacy of finance	8565	57.1	3
Absence of grading	8295	55.3	4
Lack of technical know-how	8085	53.9	5
Distant market	6630	44.2	6
Lack of institutional finance	4950	33.0	7
Lack of export market center and storage facilities	4665	31.1	8
Lack of Market Information	4612	30.0	9

Source: Survey data, 2013 (*\*Garrett's Ranking Technique*)

The table shows that the fluctuating price commanded the greatest attention in marketing. It reveals that in the sample areas, the most serious constraints are the fluctuations in prices of betel as reported by sample growers. The second rank was given to presence of too many middlemen. In betel marketing a large number of intermediaries were involved and large margins were taken up by them. However, it was inevitable because the produce was highly perishable and required personal care and quick handling. Inadequacy of finance was given the third rank. Betel marketing requires heavy capital so the cultivators did not easily enter the trade activities. The high cost of transport was considered as the fourth major problem. The fifth rank was given to absence of a grading mechanism which reduces the quality of betel leaves and price.

The problem of absence of an export market center and storage facilities ranked 8th was related to not receiving the cash at the time of bargaining. Majority of the vendors decide the price and they agree to pay the money later. However they delayed the payments violating the agreements. It was revealed that many vendors behave in this manner. However, even with this behavior of vendors, the farmers had to sell their betel leaves to the same vendor without a change. A very few pay the money on time. Most of the farmers prefer to sell their harvest to those few vendors. But they receive a very low price.

## 6.5 Interface Marketing of Export Betel

### Case study of export betel vendors

Following discussions with some farmers dealing with the export market, a hierarchy for the trade of export betel leaves for Pakistan was identified.

The following points were revealed in the discussion held with a vendor in Giriulla area called Mr. Mahinda. According to him, there were two methods of sending our exportable betel leaves to the Pakistan market; through the company and Pakistan vendors. CWE and Markfed were the two companies he has been introduced to. However, he used to bargain with the Pakistan vendors. He collects betel leaves from the markets as Kuliypitiya, Kadanagedara and after then they were graded in Katunayake. A labourer receives Rs.1000 per day as wage. Then the selected betel leaves were packed in 9kg baskets and then stored in Airplanes. He said that Rs.70 is the cost per basket. It costs Rs.30 for the newspapers for wrapping.

Mr. Ajith, also an export betel vendor, said that he collected leaves at home and then the suitable betel leaves were transported to Katunayake. A Pakistan vendor pays Rs.2300.00 (9kg) for a betel basket.

It was also revealed that many problems occurred with Pakistan vendors with the changes in flight schedules and delays. Because of that the betel leaves may dry up. The vendor carrying the betel leaves is called "bag bai".

It is to be noted that despite being a highly vulnerable crop, there is no insurance facility available for the crop. Earlier, it had been the primary occupation of the traditional betel growers, but nowadays it has become a secondary occupation. So, they did not fully concentrate upon the cultivation of this crop as reported by a good number of growers in the study area. There is visibly no change (increase) in the selling prices of betel leaves for a decade whereas the cost of inputs involved in its cultivation and marketing has been gradually rising over the years. But as there is no alternative, the traditional betel growers have been continuing in the cultivation of this crop. The overall analysis concludes that marketing is the most vital constraint of the growers in the study area. Due to absence of an organized market, middlemen generally fix the prices and this

causes adverse and unfavourable prices for the growers. During the field study, it was observed that the growers have to depend on the information provided by the traders in the sample areas. In respect of packaging and packing, traditional materials and methods are followed resulting in a damage of betel leaves during transportation. It was also observed that during peak seasons of harvesting in general and also in the case of good harvesting free from vagaries of weather and diseases or when the supply of betel exceeds its demand, downward fluctuation in its price seizes the benefits of better crop to be accrued to growers. Absence of modern preservation techniques is responsible for such situations, which discourages the growers from adopting improved farm techniques to raise their production. The commission agents, living away from the production farms play an important role and control the market to the disadvantage of the producers. It was also recorded that the price gap between assembling and consuming in the market is very high and the prices tend to increase with the increasing distance. Thus, on the basis of the above discussion, it is advisable that if proper grading of leaves is performed, improvement in packing method, establishment of cold storage linkages between growers and buyer strengthened and farmer's co-operatives are ensured, these will provide better remunerative prices to the growers resulting in an incentive for adopting improved methods of cultivation.



## CHAPTER SEVEN

### Findings, Conclusions and Recommendations

#### Findings

##### Economics of Export Betel Production

The analysis reveals that the cost of cultivation per 1000 sticks on average was estimated at Rs.167,217.00. It was the highest in Gampaha district (Rs.190,530.00) and the lowest in Kurunegala district (Rs.143,904.00). Amongst the various cost heads, expenditure on construction of betel field was found being the highest (25.42%) followed by land preparation and vine transplanting (19.64%), irrigation charge (19.17%), fertilizer application (17.05%), pesticide application (5.46%), harvesting and crop maintenance (5.34%), packing, marketing and transport (4.66%) and weeding/inter-culturing (3.28%). The total variable cost at overall level was estimated at Rs.167,217.00 (100% of the total cost). Thus, this crop is highly capital intensive. The overall analysis of costs incurred in the cultivation of betel vine could establish a relationship between the cost and family size i.e., cost of cultivation increased with decrease of family size.

Analysis revealed that on average, 626 labour days per 100 sticks were created in the cultivation of betel vine. The share of family labour (at overall level) in the cultivation of betel vine was observed to be higher 211 (33.39%) as compared to hired labour 169 (26.99%). On the whole, the cultivation of betel vine has been generating many employment opportunities and this suggests high potential of farm employment in the case of these crops in the area. It was also observed that generally out of the total of labour engaged, about 46.11% were male and 53.89% were female.

The analysis of per 100 stick cost of production of betel vine reveals that on average, the cost of production per 10,000 leaves was estimated at Rs.7,761 which varied across the sample districts from Rs.8,309.00 to Rs.5,165.00 between Kurunegala and Gampaha. The calculated data of gross income and net returns indicate that at overall level, gross income per 1000 sticks was estimated at Rs.259,432.00 and the net income was to be Rs.92,215.00.

On average, estimated working expenses per 1000 sticks and percentage return on working capital were at Rs.167,217.00 and 55.14% respectively. Higher return on working capital might be due to higher net income in the selected farms of sample areas.

As a whole, capital output ratio was estimated at 1:1.55, and this established a relationship that sample villages with higher per unit of capital investment incurred higher corresponding incomes. Thus, the above analysis established that due to lack of knowledge, betel vine growers were not able to make optimal use of labour resources in their farms.

As per the information collected from the sample growers it was identified that growers were using three important channels through which they used to dispose of their produce. These channels are:

1. Grower/Producer → Export Wholesaler (Local Buyer Only One) → Export to Pakistan
2. Grower/Producer → Local Wholesaler (POLA) → Pakistan Wholesaler → Export to Pakistan
3. Grower/Producer → Local Wholesalers (POLA) → Export Pakistan

The analysis indicated that at overall level about 78.85 per cent of produce was (both district) marketed through channel – 1 followed by 20.84 per cent by channel – 3 and 3.31 per cent by channel – 2. The price received by the growers was the highest in channel – 3 (79.91 %) followed by channel – 2 (75.43 %) and channel – 1 (73.46 %). The Channel 1 is only one export wholesale (Mr Banduragoda) buyer by low price from farmer but the payment is made on time.

The analysis observed that the price per 10,000 leaves of betel received by the producer was Rs.23,000.00 in channel – 1 followed by Rs.24,101.00 in channel – 2 and Rs.24,101.00 in channel – 3, whereas in all the channels retailers' selling price and Pakistan wholesalers purchase price was Rs.30,161.00 per 10,000 betel leaves.

The survey also identified the major constraints faced by the growers in the production of betel vine. The constraints were categorized into two sections: (1) Agro-Biological: i.e., disease, pests, rains, good planting material and perishability; and (2) Economic constraints: i.e., lack of capital, high costs of labour, construction cost of betel field (for 1000 sticks = Rs.17,000-20,000), irrigation, fertilizer, insecticides, lack of developed marketing facilities and price fluctuations were taken into account. In case of agro-biological constraints, about rank 1 (high percentage), the growers reported that disease severity was the main constraint. In economic constraints, inadequate marketing facility ranked first. Besides, almost all the selected growers reported poor communication of betel export marketing information. Observations during the course of survey related to the marketing aspect revealed that a systematic marketing of betel vine did not prevail in the area. As a result the growers had to toil hard to sell their produce. It was observed that they are dictated by the terms and conditions of commission agents. Thus, they are subject to much exploitation as the monetary returns are very low. Most of farmers (81.3%) propose to establish Dedicated Economic Centres (DECs) for betel export market. (Eg. Apeladeniya in Kurunegala district in 2004).

## Suggestions and Policy Implications

On the basis of the findings of the study following suggestions emerged.

1. There is a need for supplying package of practices to the farmers of betel vine, and similarly there is a need for demonstrations.
2. As evident in the construction cost of betel vine constituting a significant portion of the total expenditure on production, it is necessary to develop a more economically efficient method for its production. (Low cost technique for its construction especially for betel sticks)
3. As per the survey, the commission agents, those who are employed under private organisations, are in control of the entire marketing system - devoid of organised marketing and government machinery. Therefore, the government systems may be essential in ridding the current marketing system which is under the control of private traders, of malpractice (marketing system run by the private traders).
4. The establishment of Betel Growers' Co-operative Societies will be a significant step in resolving the issues.
5. The harvesting of betel needs high capital expenditure as the majority of farmers are economically disadvantaged. Therefore, special facilities should be provided by the public sector banks and other organisations involved in this field to ensure an easy flow of loan facilities for the growing of betel.
6. It is evident that there was no proper relationship between the farmers and researchers for logistics of betel vine production technology, which in turn influences the production of betel. Efforts should be made to establish this link.
7. The most effective form of aid is self-help. Therefore, organisation and improvement of self help groups would be significant in solving their problems.
8. It was analysed that no attempts were made by any agency in regard to utilising the most recent technology in either of the sample districts. It is recommended that appropriate measures in this regard should be taken immediately.
9. A large scale educational campaign targeting consumers should be launched in regard to the health benefits and pharmaceutical value of betel vine crops.
10. A more industrious approach should be adopted in researching the industrial use of betel leaves in the pharmaceutical industry.

## REFERENCES

- Amalendu, K., (2007), Economics of Production and Marketing of Betel vine In Bihar, Ministry of Agriculture, Government of India.
- Annual Report, (2005), Bihar Anknaro Mein, Directorate of Statistics, Government of Bihar.
- Anon, (1982), Annual Report of the J N Krishi Vishwavidyalaya, Jabalpur, pp.18.
- Anon, (1986), All-India Co-ordinated Research Project on Betel vine. Annual Report, Tech. DoC, No. 2, Indian Institute of Horticultural Research, Bangalore.
- Anon, (1996), Marketing of Betel leaves in India, Directorate of Marketing and Inspection, Ministry of Rural Development, Faridabad, 1983b.
- Anon, (1984), Betel Growing in the Wet Zone. Home and Garden Bulletin 9, Department of Agriculture, Publicity Division, Colombo 12.
- Anon, (2004), Administrative Report, Department of Export Agriculture, Peradeniya.
- Arulmozhiyan, R., and Thamburaj, S., (1998), Integrated Nutrient Management in Betel Vine (*Piper betel* L.) for Increased Productivity. Agricultural University, Tamilnadu
- Asian Tribune, (2010), Accessed at <http://www.asiantribune.com/node/1943> on 25th March, 2013.
- Balsubrahmanyam, V.R. (1992), "Irrigating Betel vine Plantation the Right Way," Indian Betel Vine (*Piper betel* L.) for Increased Productivity. Agricultural University, Tamilnadu. The Agricultural Society of India, Calcutta, pp.189-196.
- Balasubrahmanyam, V.R., (1994), Betel vine. National Botanical Research Institute, Lucknow, pp.6-7.
- Changule, B.A., (1960), Betel vine Cultivation in India. Farm Bulletin (Ed.) M G Kamathu, Directorate of Extension, Ministry of Food & Agriculture, New Delhi.
- Chaurasia, R.S. and Johri J.K., (1990), Production Analysis of Betel Leaves, Agricultural Situation in India. 44(i), pp. 23-25.
- Chopra, I.C., Handa, K.L. and Kapur L.D. (1958), Chopra's Indigenous Drugs of India (2nd ed.). Academic Publishers, pp.178–179.

- Department of Export Agriculture, (2004), Betel Cultivation and Processing. Technical Bulletin, pp.47.
- Department of Export Agriculture and Ministry of Agriculture, (2006), "Bulath Arunella" National betel development program.
- Department of Export Agriculture Sri Lanka, (2013), Accessed at <http://www.exportagrdept.gov.lk/web/> on 22<sup>nd</sup> March, 2013.
- Department of Census and Statistics, (2010), Census Data.
- Gadre, N., A. and Galgalikar, V., D. (1988), Economic Analysis of Betel Leaf Production and Marketing in Maharashtra. Paper presented in workshop on betel vine, Calcutta University, Calcutta.
- Garrett, H., E., and Woodworth, R., S. (1969). Statistics in Psychology and Education. Bombay, Vakils , Feffer and Simons Pvt. Ltd., pp.329.
- Ghoshal, R., Mazumder, G., and Acharya, S. K., (2010). Adoption behavior of betel vine cultivation in relation to scientific practices in some selected areas of Howrah district. Agricultural Extension Dep, Bidhan Chandra Krishi Viswavidyalaya, Mohanpur, 28(4A), pp.2591-2593.
- Haleem, A.S., (1995), Purana Lucknow, National Book Trust India.
- Hinge, B.J., and Tilekar, S.N., (1987), Economics of Production and Marketing of Betel Horticulture. 136(4).
- Kaleeswari ,V., Sridhar,T., (2013), A Study on Betel Vine Cultivation and Market Crisis in Karur District. Indian Journal of Applied Research, 3 (10).
- Mahesha, L., Sigera, N., Nadugala and Amarasinghe, B.H.R.R., (2009), Diversity among different isolates of *Xanthomonas campestris* pv. *betlicola* on the basis of phenotypic and virulence characteristics. J.Natn.Sci.Foundation, Sri Lanka, 37(1),pp.77-80.
- Mishra, V., Archana, M., Saifta (2005), A Study of Betel Leaf Microflora, P.G., College of Science and Education, Bhopal Govt. MLB Girls College, Bhopal. Asian J. Exp. Sci., 19(2), pp.59-62.
- Monier-William, M.A., Sanskrit (1951), English Dictionary Clarendon Press, Oxford, Great Britain.

- Mukherjee, A. and Giri, A.K.,(1991), Sister chromatid exchange induced by 'pan masala' (a betel quid ingredient) in male mice in vivo, Food and Chemical Toxicology. 29(6), pp.401–403.
- Rathnasoma, H.A., and Senevirathna, J.M., (2002), Technical Bulletin on Betel Cultivation. Department of Export Agriculture, Peradeniya.
- Saniyapan, R. and Marimuthu, T. (1982), "Is Betel Vine Cultivation Profitable to Farming Community". Report on National Workshop on Betel vine, Calcutta.
- Sri Lanka Spice Council (2010), Accessed at [http://www.srilankanspices.com/sl\\_spices\\_betel.html](http://www.srilankanspices.com/sl_spices_betel.html) on 18th February, 2013.
- Sumanasena, H.A., Basnayaka, B.M.S. and Fernandopulle, M.N.D., (2005), Evaluation of Alternative Types of Supporting Materials for Betel (*Piper betle* L.) Cultivation, Proceedings of 5th Agricultural Research Symposium Part II, Faculty of Agriculture and Plantation Management, Wayamba University of Sri Lanka, Makandura, Gonawila.
- Sumanasena, H.A., Kadigamuwa, H.M.J.J.K. and Gunathilaka, H.A.W.S. (2005), Technical Bulletin on Betel Cultivation, Department of Export Agriculture, Peradeniya.
- Sumanasena, H.A., and Chandana, G.A., (2005), Effect of irrigation and fertilizer on leaf production of betel vine. Tropical Agricultural Research and extension, 8.
- Sundaram, M., (1987), An Economic Analysis of Production of Betel vine in Tamil Nadu. Agriculture Situation in India, 42(1).